FERRO®



SANITARY FITTINGS AND **ACCESSORIES**

CATALOGUE 2023

Pictograms and function markings





FERRO AirMix

The faucet aerator with additional water aeration system. It allows you



Ferro Eco Save





Thermostatic mixer

The hot water lock protects against scalding and ensures a constant water temperature of 38°C.

KITCHEN FITTINGS



Pull-out spout

The spout with pull-out hose increases the comfort of filling



Rotational spout



Two spouts

A product with two independently controlled spouts.



Shower / SprayA mixer with the ability to switch



Flexible spout

The spout can be freely controlled to precisely direct the jet when rinsing



Foldable spout

A faucet designed to be mounted in front of a window; this foldable spout





Reversible sink

The sink can be installed so that, depending on the needs, the drainer



Cork plug in the set

Pictograms and function markings

To increase legibility and facilitate the use of product information, their main features and functions are presented in the form of icons.

BATHROOM FITTINGS



Easy Clear

Spray handle nozzles and aerators made of plastic from which limescale



AutoClear

The function of automatic removal of limescale from shower handle nozzles



AIR-IN System

The spray handle aeration system, thanks to which we save water while maintaining the comfort of a large jet.



Click-clack

a click-clack plug, which can be opened and closed by pressing it.



Siphon trap included

Products equipped with a siphon



Pull-out shower handle

Mixer with pull-out shower handle.



Two sources

The product allows you to connect and use two water outputs.



Slim Design

Rainshower plate with a modern low profile



Adjustable spray angle

Infinitely adjustable setting of the angle of the rainshower plate



Multiple types of jet

Possibility to change the type of stream.



Anti Twist

twist.



Vertical adjustment

Vertical adjustment of the mounting bar.



Horizontal adjustment

Adjusting the distance of the bar from the wall



Safe Touch System

The faucet body does not heat up when using hot water.



CATALOGUE 2023

BATHROOM

NOVELTIES

FERRO GROUP

STRENGTHS 10

277 PRODUCT **INDEX**

FITTINGS

BATHROOM FIXTURES

- Overview
- Surfaces and functions
- Adore White/ Chrome
- Adore Black/ 26 Chrome
- 28 Stratos
- Stratos Black 30
- 32 7icco
- 34 Zicco Black
- 36 Alba Verdeline
- Tiga Verdeline 37
- Algeo Square
- Algeo Square Black/Chrome
- 43 Fiesta
- 46 Fiesta Gold
- 48 Algeo
- 53 Algeo Black
- Vitto Verdeline
- Vitto Verdeline Black
- Vitto Verdeline 56 Gold
- 57 Vitto Verdeline Gold/Black
- Vasto
- 61 Stillo
- 63 Smile
- 65 Ferro One
- 68 Savio
- 69 Isso
- 71 Basic
- Thermostatic mixers
- 74 Antica
- 75 Retro
- Retro New
- 79 Standard
- Low presure mixers
- Special mixers

SHOWER **PROGRAMMES**

- Overview
- Rainfall shower systems and mixer
- Rainfall shower systems and mixer
- Shower sets with rainfall Verdeline
- Shower sets with rainfall
- 103 Built-in shower sets
- 104 Shower sets
- 111 Shower spot sets
- 113 Shower handle holders
- 115 Shower handles
- 120 Shower heads
- 121 Rain shower heads
- 124 Shower arms
- 125 Angle connectors for flush-mounted systems
- 127 Spouts for built-in mixers
- 128 Shower hoses

BATHROOMS ACCESSORIES

- 133 Overwiew
- 134 Antica
- 136 Retro
- 138 Emotion
- 141 Greta
- 143 Greta Black
- 145 Smile
- 147 Mephisto
- 150 Grace
- 153 Audrey
- 156 Metalia 1
- 161 Metalia Shower
- 165 Toilet seats

ACCESSORIES AND SPARE PARTS

- 170 Overview
- 171 Linear drains
- 174 Siphons
- 177 Drain valves
- 182 Angle valves

KITCHEN FITTINGS

- 188 Standing kitchen mixers overview
- 190 Surfaces and functions
- 192 Standing kitchen mixers
- 205 Low presure mixers
- 206 Kitchen mixer spouts
- 208 Wall-mounted mixer taps overview
- 209 Wall-mounted mixer taps
- 211 Sink mixer handle and hoses

SINKS

- 212 Overview
- 214 Granite sinks
- 218 Granite sink sets
- 219 Utility sinks

SPECIALIST FITTINGS

- 222 Overview
- 223 Medical mixers
- 227 Touchless fittings
- 231 Touchless fittings accessories
- 233 Time delay mixers and valves
- 236 LEED/BREEAM mixers
- 239 LEED/BREEAM showers
- 241 Grace Hotel
- 243 Metalia Help

ACCESSORIES AND SPARE PARTS

- 247 Overview
- 248 Spouts
- 249 Jet regulators
- 251 Ceramic heads and regulators
- 254 Mixer handles
- 256 Rosettes
- 259 Mixers mounting accessories
- 263 Plugs and drains
- 265 Strainers
- 266 Caps and reductions
- 267 Funnels
- 268 Gaskets
- 274 Mounting
- 276 Switches









Welcome to the world FERRO GROUP

The FERRO Group is one of the largest manufacturers of sanitary and plumbing fixtures in Central and Eastern Europe with nearly 30 years of experience in the industry. Thanks to its commitment to high product quality and its mission to meet customer needs for a safe and well-functioning home, Ferro products are present in millions of places. Every year we introduce new products to the market, which ever better meet the expectations of even the most demanding customers.

The vision, mission and values set the direction in which we are going, inspire us in our daily work, define our way of functioning and approach to customers, employees, business partners and shareholders.

The FERRO Group maintains its position as market leader thanks to its numerous advantages and market advantages.



Stable and secure position of the company

The Group owns several product brands, including Ferro, Metalia and Titania, which gives it a significant competitive advantage and ensures a strong market position. FERRO cares about maintaining standards of operation and continuous development of the range of high quality products, which allows to maintain a wide range of customers, increase confidence in the brand and maintain a stable market position.



Large-scale operations

In addition to its activities in Poland, the FERRO Group offers its products in Europe and on numerous foreign markets, becoming one of the largest manufacturers of sanitary and plumbing fixtures in Central and Eastern Europe. Our products are produced at the Czech factory NOVASERVIS in Znojmo as well as several other factories in Europe and Asia.



High quality of products

The FERRO Group is constantly striving to achieve the best possible quality parameters. FERRO places particular emphasis on meeting the requirements of the applicable standards, maintaining high technical parameters, safety and functionality of its products. This is emphasized by the fact that the FERRO Group has implemented the ISO 9001:2008 Quality Management System. Thanks to special attention to quality, our company has been repeatedly awarded and honoured for the high quality of products by the environment and industry institutions and reputable industry magazines.



Exceptional team

Our company and its success is made up of People, considered to be the most valuable asset of the Group. FERRO's organizational culture is created by people with passion and open-mindedness, which is why we employ exceptional employees and ensure their continuous development.

A good understanding of individual markets and their needs has enabled us to gain the trust of our customers and dynamic international expansion. Consistent investment in modern technologies based on the philosophy of sustainable development makes us offer attractive design and quality products for many market segments. As Ferro Group, we desire to develop a leading position in the field of bathroom and kitchen solutions and offer professional installation systems. We want to accompany our customers at every stage of contact with the product - from inspiration, through efficient delivery, to failure-free use.

FERRO Group companies

- FERRO S.A. Poland
- FERRO International Sp. z o.o. Poland
- NOVASERVIS spol. s.r.o. Czech Republic
- NOVASERVIS FERRO Group SRL Romania, Moldova
 - NOVASERVIS FERRO SK s.r.o. Slovakia
 - FERRO HUNGARY KFT Hungary
- NOVASERVIS FERRO Bulgaria Ltd. Bulgaria
- FERRO BALTICS UAB Latvia, Lithuania, Estonia
- FERRO ADRIATICA Croatia, North Macedonia, Bosnia and
- Herzegovina, Montenegro, Slovenia
- TERMET S.A. Poland TESTER Sp. z o.o. Poland

Ferro Group's activities on the **European market are performed** by local distribution companies and local sales force

Thanks to this, the company perfectly recognizes the needs of the market and adapts its activities to the local specifics. The flexibility and local activity, combined with the global opportunities offered by the Group, make Ferro Group today the leader in the sanitary and heating technology sector in Europe. Consistent implementation of the vision of international development results in an increasing expansion of Ferro Group into new markets

The history of the FERRO Group since its foundation is connected with the south of Kraków, for many years the company's headquarters have been located in Skawina, a town near Kraków. The strength of the Ferro brand is the excellent quality of the products manufactured in the Czech factory on the basis of the European standards of technology and work organization, as well as the constantly updated and extended assortment comprising several thousand unique products offered in 25 categories: from bathroom and kitchen mixers and sinks, to water and measurement fittings, radiators, pumps and heating controls, and from 2021 also gas boilers, provided to both individual customers and institutional recipients developers, property managers, tenants.



FERRO headquarters in Skawina



Production plant and logistics centre in Znoimo (Czech Republic)

Our brands

We listen to the needs of our customers and create for them high quality products under brands: Ferro, Nobless, Metalia and Titania. Each brand responds to the needs of different groups of customers, and all of them have been created to facilitate everyday life and guarantee safe, comfortable and functional interiors of every house.

The global brand

Group brands CZ/SK





Product brands belonging to the FERRO Group



NOBLESS

METALIA— TITANIA

DESIGN

termet*



Design and ergonomics

FERRO products are characterized by high quality, innovation and perfect design. This is evidenced by numerous awards and distinctions awarded by industry circles and prestigious interior design magazines Our products are part of everyday life, accompany our customers, and contribute to their well-being and comfort of life. By providing heating and sanitary solutions, we care about the safety of use, functionality and comfort of the customer, his satisfaction is the only true measure of success.





Among the wide range of FERRO products, we can find real gems of design, which are appreciated during competitions and industry plebiscites.

Wall-mounted bath mixers with a folding spout that also functions as a shower switch צ

Zicco - page 32 Zicco Black - page 34 Vitto Verdeline - page 58 Vitto Verdeline Black - page 59





↑ Wall-mounted sink mixer with a flexible spout that allows you to set it in any shape so that we can freely adjust the direction of the water stream

Algeo - page 56, 206

Details arewhat matters

At every stage of production, FERRO attaches great importance to details, both in terms of their perfect execution and finish. Thanks to this, every product of the company is characterized by the highest quality and impeccable appearance. We strive to ensure that our products are in line with European trends, while guaranteeing quality and durability highly appreciated by our customers.





Safety and quality are our priorities, which is why we care about the certification of products and processes in certification bodies valued in **Europe.** All mixers are safe to use and have the approvals of the Polish hygiene facility.



QUALITY UNDER SCRUTINY

The company puts particular emphasis on meeting the requirements of the applicable standards, maintaining high technical parameters, safety and functionality of products. All the company's products are subject to extremely accurate and restrictive quality verification procedures. They are inspected at every production stand. The correct course of quality control processes is supervised by highly qualified

FERRO takes care of the excellent quality of its products.

accurate and restrictive quality verification procedures. They are inspected at every production stand. The correct course of quality control processes is supervised by highly qualified engineers responsible for quality and product certification. The auditors check compliance with the procedures of the quality assurance system. These include the procedures specified by Polish PN and European PN-EN series standards and the procedures related to the Quality Management System.






Production

process

FERRO's production is carried out in several modern factories around the world based on the highest quality raw materials and components from reliable suppliers from Europe and Asia.

We have our own production plant in Znojmo (Czech Republic) with a modern logistics centre. This, combined with our location in the heart of Europe, ensures efficient and effective distribution between the Group companies and to the various European and global markets. Before leaving the factories, all products undergo a meticulous quality control, which ensures that our customers receive a proven, reliable product that provides many years of comfortable operation.

The factory in Znojmo has a modern CNC machining plant, its own glassworks, assembly line, electroplating line, as well as faucet folding and polishing stations. The plant has almost 40 years of production tradition. Today not only faucets are manufactured there, but also bathroom accessories, bathroom fittings and brass distributors. The plant also boasts a fully automated chrome-plating plant with closed water circulation, adapted to the latest environmental requirements.








Experience and passion

Our company and its success is created by people who constitute the most valuable asset of the Group. FERRO's organizational culture is created by people with passion and open-mindedness, which is why we employ exceptional employees and ensure their continuous development. We believe that an appropriate incentive system, good working conditions and team partnership help to work effectively, develop employees and influence the further development of the company. In our daily activities we are guided by values that allow us to build an extraordinary working atmosphere.

WE WORK WITH
EXTRAORDINARY PEOPLE
BECAUSE IT IS THANKS TO
THEM THAT WE ACHIEVE
EXTRAORDINARY RESULTS.





PEOPLE

Our team consists of almost half a thousand people from all over Europe. The experience of our long-time employees is complemented by a fresh look of these younger ones, thanks to which we realize creative ideas and implement innovative solutions together. And, together we create an energetic, efficient organization that values teamwork, mutual respect and continuous improvement.



Ecology the Ferro Way



Innovation and the promotion of eco-friendly solutions in bathroom furnishings has been our goal invariably for more than a dozen years. The long road and modification of these solutions has brought us to the forefront of manufacturers offering water-saving products. It is important to bear in mind the importance of choosing Verdeline products in terms of long-term use, reducing water and energy costs. On Ferro's dedicated Water Saving website, each user can calculate the amount of real savings based on their approximate water consumption and cost in their location.





Eco-friendly products



Ferro Air Mix Aerator



FerroEco Save



AIR-IN System

Verdeline product range:

39 Alba Verdeline

40 Tiga Verdeline

58, 92 Vitto Verdeline

59, 92 Vitto Verdeline Black

60 Vitto Verdeline Gold

61 Vitto Verdeline Black/Gold

98 Kanto Verdeline

98 Kanto Verdeline Black

99 Amiga Verdeline

99, 117, 122 Amigo Verdeline

3 SIMPLE RULES:

USE SAVE CONSERVE

BVI2VLBL Standing washbasin mixer **BVI2LVLBL** Standing counter washbasin mixer






* Check details →



New quality in saving

The Unified Water Label Association, based in Newcastle (UK), is an association whose main objective is to implement uniform water and energy labelling of sanitary products throughout Europe. The world's water resources are limited and water scarcity, with a growing population and climate change, is becoming a major global issue. This is why water consumption labels have been developed to raise awareness of which appliances use less water, so that we use water more efficiently. Ferro S.A. is a manufacturer focusing on ecological solutions and supporting the policy of saving natural resources. Selected VERDELINE products from our offer are labelled with WATER LABEL, thanks to which our customers know which of them use less water and energy, which additionally translates into reduced costs.





Water Label certified products:

- 39 Alba Verdeline
- **40** Tiga Verdeline
- **58, 92** Vitto Verdeline
- 59, 92 Vitto Verdeline Black
- 60 Vitto Verdeline Gold
- 61 Vitto Verdeline Black/Gold
- 225 Sirocco Sensor
- 225 Sirocco Sensor Pre-Mixed
- 225 Sirocco Sensor Power-Safe
- 226 Sirocco Sensor Power-Safe Pre-Mixed





Bathroom

fixtures

The collection of Ferro bathroom fixtures is a rich offer allowing for comprehensive bathroom fitting. Among the proposed solutions you will find functional washbasin, bath, shower and bidet mixers as well as modern shower sets. Mixers and shower sets are distinguished by their attractive design in compliance with the latest design trends. They fit perfectly into various arrangements. You can easily match the product to your style, from classic to very modern interiors.

CHROME -



STRATOS



ZICCO



ALBA VERDELINE



TIGA VERDELINE



ALGEO SQUARE



SMILE



FERRO ONE







BASIC

CLASSIC MIXERS



ANTICA



RETRO



RETRO NEW



STANDARD

WHITE-CHROME -



NEW







ALGEO SOUARE BLACK/CHROME





STRATOS BLACK

30



ZICCO BLACK

34

WHITE/CHROME





ADORE BLACK/CHROME

NEW



GOLD -



VITTO VERDELINE GOLD 60



FIESTA GOLD

50











LOW PRESURE MIXERS —



METALIA 55 86

BLACK -



ALGEO BLACK



VITTO VERDELINE BLACK 59

OLD BRONZE ———



ANTICA 83

BLACK-GOLD -

NEW



VITTO VERDELINE BLACK/GOLD 61

List of functions

In addition to the necessary functions to facilitate daily use, guarantee comfort and safety, Ferro bathroom mixers are also equipped with innovative solutions that enable users to save water and reduce household expenses.

BATHROOM FITTINGS















Page number	Series name	Eco	Ferro AirMix	Ferro Eco Save	Rotational spout	Easy Clean	Pull-out shower handle	Click-clack
24	Adore						•	•
28	Stratos							•
32	Zicco				•			•
39	Alba Verdeline	•	•	•		•		•
40	Tiga Verdeline	•	•	•	•	•		•
42	Algeo Square				•		•	•
47	Fiesta				•			•
52	Algeo				•		•	
58	Vitto Verdeline	•	•	•		•		•
62	Vasto				•			
65	Stillo				•			
67	Smile				•			
69	Ferro One				•			•
72	Savio				•			
73	Isso				•			
75	Basic				•			
83	Antica				•			
79	Retro				•			
81	Retro New				•			
84	Standard				•			
86	Metalia 55				•			

Colour combinations

The attractive appearance of mixers and showers is influenced by interesting shapes and aesthetically appealing surfaces. Elegant chrome, fashionable black or a combination of both colours will highlight the unique character of the bathroom.

Ferro mixer surfaces not only fulfil decorative functions but also perfectly protect mixers and showers from harmful external factors.

BATHROOM FITTINGS								
no.	Series name	chrome	black-chrome	black	white-chrome	old bronze	gold	black-gold
24	Adore		•		•			
28	Stratos	•		•				
32	Zicco	•		•				
39	Alba Verdeline	•						
40	Tiga Verdeline	•						
42	Algeo Square	•	•					
47	Fiesta	•					•	
52	Algeo	•		•				
58	Vitto Verdeline	•		•			•	•
62	Vasto	•						
65	Stillo	•						
67	Smile	•						
69	Ferro One	•						
72	Savio	•						
73	Isso	•						
75	Basic	•						
83	Antica					•		
79	Retro	•						
81	Retro New	•						
84	Standard	•						
86	Metalia 55	•						

OTH OTHE
Glossy chrome
coating is a
universal choice,
fits perfectly any
colour and style of

arrangement.

Black-chrome Chrome-broken black looks great in elegant bathing Black
Fashionable black
underlines the
friendly ambience
of the bathroom
interior, making
it a unique place
of care and
relaxation.

White-chrome
This beautiful
combination of
bright colours
brightens up the
interior, which is
very important
especially in small
bathrooms.

Old bronze Gold

Durable coating, Durable PVD coating in gold bronze. colour.

Gold-black
A combination of matt black and bright gold








Build-in shower mixer


- 2-function
- a set of concealed and surface mounted components
- · wall-mounting
- 2-function switch
- ceramic cartridge
- G1/2 connection
- G1/2 shower output


itch idge ion output ADORE WHITE/CHROME CATALOGUE 2023






ADORE BLACK/CHROME CATALOGUE 2023






STRATOS CATALOGUE 2023




STRATOS BLACK




STRATOS BLACK CATALOGUE 2023






ZICCO CATALOGUE 2023






ZICCO BLACK CATALOGUE 2023












Wall-mounted bath mixer

- ceramic cartridge
- · bath/shower switch • M24x1 flow regulator
- flow limiter for the shower output
- G1/2 eccentric connection spacing 150 ± 20 mm
- shower set not included


BLB1VL


TIGA VERDELINE CATALOGUE 2023






ALGEO SQUARE CATALOGUE 2023







ALGEO SQUARE CATALOGUE 2023







FIESTA CATALOGUE 2023







FIESTA CATALOGUE 2023







FIESTA GOLD CATALOGUE 2023






ALGEO CATALOGUE 2023









Wall-mounted bath mixer


ceramic cartridge


- automatic bath/shower switch with a lock
- M24x1 flow regulator
- G1/2 eccentric connection spacing 150 ± 20 mm
- shower set not included

chrome


BAG1

ALGEO CATALOGUE 2023





ALGEO BLACK CATALOGUE 2023





• G1/2 eccentric connection spacing 150 ± 20 mm

· shower set not included


160

VITTO VERDELINE BLACK CATALOGUE 2023













VASTO CATALOGUE 2023






STILLO CATALOGUE 2023







SMILE CATALOGUE 2023






FERRO ONE CATALOGUE 2023







FERRO ONE CATALOGUE 2023






ISSO CATALOGUE 2023







BASIC CATALOGUE 2023







THERMOSTATIC MIXERS CATALOGUE 2023







RETRO CATALOGUE 2023







RETRO NEW CATALOGUE 2023






STANDARD CATALOGUE 2023






LOW PRESURE MIXERS CATALOGUE 2023



SPECIAL MIXERS





Shower programmes

A modern shower, in addition to providing a comfortable bath, can also perfectly decorate the bathroom interior. That is why Ferro offers perfectly highly admired by users functional shower sets equipped with water-saving components and thermostatic mixers, as well as flush mounted sets with a mixer and a rain shower. Sets with elegant rain showers and shower handles of geometric or round form covered with shiny chrome coating look great in modern shower cabins.

SHOWER SETS



SHOWERS SET COMPONENTS -



SHOWER HANDLE HOLDERS



SHOWER HANDLES



SHOWER HEADS



RAIN SHOWER HEADS 127



SHOWER ARMS




ANGLE CONNECTORS FOR FLUSH-MOUNTED SYSTEMS




SPOUTS FOR BUILT-IN MIXERS
133

SHOWER HOSES 134








Shower:

• Shower handle Ø 100 • 3-function shower handle • streams: rain, massage, mixed • Ferro Easy Clean System - easy liméscale removal • PVC shower hose 150 cm



Description

Colour

Index

chrome

NP75SQ-TRV7U

Trevi Square rainfall shower system and thermostatic mixer



Rainfall shower: · regulated length of metal bar





800 - 1250 mm regulated mounting heightrainfall steel head SLIM

300 x 300 mm

· integrated wall mounting with rainfall bar

 $\boldsymbol{\cdot}$ ball-joint - adjustable angle of overhead shower plate

 Ferro Easy Clean System - easy limescale removal

Shower mixer:

• thermostatic regulator

• integrated ceramic switch for rainfall shower/shower handle

 \cdot Safe Stop 38°C - hot water lock

wall-mounting

• G1/2 eccentric connection spacing 150 \pm 20 mm

• G3/4 rainfall connection

- upper fitting

• G1/2 shower connection

 $\hbox{-}\ bottom\ fitting$

Shower

• 1-function shower handle

• stream: rain

• Ferro Easy Clean System

easy limescale removal

• 150 cm shower hose in metal braid



Trevi Square Black rainfall shower system and thermostatic mixer

Rainfall shower













· integrated wall mounting with rainfall bar

· rainfall steel head SLIM 300 x 300 mm

· ball-joint - adjustable angle of overhead shower plate

• Ferro Easy Clean System - easy limescale removal

Shower mixer:

 $\cdot \ thermostatic \ regulator$

• integrated ceramic switch for rainfall

shower/shower handle
• Safe Stop 38°C - hot water lock

 $\cdot \ \text{wall-mounting} \\$

• G1/2 eccentric connection spacing 150 ± 20 mm

• G3/4 rainfall connection - upper fitting

• G1/2 shower connection

- bottom fitting

Shower:

• 1-function shower handle

• stream: rain


• Ferro Easy Clean System

- easy limescale removal • PVC shower hose 150 cm black


NP75SQ-TRV7U-BL







150±0.15





- upper fitting Shower:

• stream: rain


• 75×75 mm shower handle • 1-function shower handle

• Ferro Easy Clean System - easy limescale removal • 150 cm shower hose in metal braid







SHOWER SETS WITH RAINFALL




SHOWER SETS WITH RAINFALL CATALOGUE 2023





SHOWER SETS WITH RAINFALL CATALOGUE 2023



Wizard Square Pro sliding shower set with rainfall

Rainfall shower:

Description

- sliding metal bar with adjustable length, 850 1270 mm
- square SLIM stainless steel shower head, 300 x 300 mm
- ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System
 easy limescale removal


Shower:

- 3-function square shower handle
- streams: rain, massage, mixed
- sliding handle made of plastic with adjustable shower handle angle
- Ferro Easy Clean System
- easy limescale removal
- PVC shower hose 150 cm

Shower switch:

• brass switch with ceramic head





Wizard Square Pro Black sliding shower set with rainfall

Rainfall shower:

- sliding metal bar with adjustable length, 850 1270 mm
- regulated height rainfall head
 adjusting the height of the set to your height
- square SLIM stainless steel shower head, 300 x 300 mm
- ball-joint adjustable angle of overhead shower plate
- Ferro Easy Clean System easy limescale removal

Shower:

- shower handle with click function switch
- $\bullet \ 3\hbox{-function rectangle shower handle}$
- streams: rain, massage, mixed
- sliding handle with adjustable shower handle angle
- Ferro Easy Clean System easy limescale removal
- PVC shower hose 150 cm
- Shower switch:
- brass switch with ceramic head
- connecting hose 50 cm with a 1/2 nut - universal connection to any bath or shower mixer

black matt NP48-BL


Colour

chrome


Index


NP48

NEW



SHOWER SETS WITH RAINFALL CATALOGUE 2023





Rondo Lux Black sliding shower set with rainfall

Rainfall shower:

- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- shower head plate Ø 200 mm
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting


Shower:

- shower handle Ø 100 mm
- \cdot 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert

black NP23-BL



Description Colour Index

NP24

chrome

Squerto Lux sliding shower set with rainfall

Rainfall shower:


- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- shower head plate dimension 200 x 200 mm
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting

Shower:

- 1-function shower handle
- streams: rain
- Ferro Easy Clean System
- easy limescale removal
- 150 cm metal braided shower hose
- 50 cm PVC connecting hose with G1/2 nut universal connection to any bath tub or shower faucet

Shower switch:

 $\bullet \ \text{metal switch with ceramic insert} \\$



Squerto Lux Black sliding shower set with rainfall

Rainfall shower:

- sliding shower set with rainfall
- 985 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- ball-joint adjustable angle of overhead shower plate
- practical, flat shelf for cosmetics with adjustable mounting

Shower:

- shower head plate dimension $200 \times 200 \text{ mm}$
- shower handle Ø 100 mm
- 1-function shower handle

Streams: rain


- Ferro Easy Clean System
- easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert

olack NP24-BL

SHOWER SETS WITH RAINFALL **CATALOGUE 2023**



Rondo sliding shower set with rainfall

Rainfall shower:

Description

 1060 mm sliding metal bar
 adjustable spacing distance between holders - possibility of mounting in existing wall openings

Colour

chrome

Index NP21

• shower head plate - Ø 200 mm


• ball-joint - adjustable angle of overhead shower plate

Shower:

- \cdot shower handle Ø 100 mm
- \cdot 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- \cdot 150 cm metal braided shower hose
- \cdot 70 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet

Shower switch:

• metal switch with ceramic insert





Rondo Black sliding shower set with rainfall



- 1060 mm sliding metal bar
- adjustable spacing distance between holders - possibility of mounting in existing wall openings
- · shower head plate Ø 200 mm
- · ball-joint adjustable angle of overhead shower plate


Shower:

- shower handle Ø 100 mm
- 3-function shower handle
- streams: rain, massage, mixed
- Ferro Easy Clean System - easy limescale removal
- PVC shower hose 150 cm
- 50 cm PVC connecting hose with G1/2 nut - universal connection to any bath tub or shower faucet


Shower switch:


• metal switch with ceramic insert

NP21-BL




BUILT-IN SHOWER SETS CATALOGUE 2023





SHOWER SETS CATALOGUE 2023





SHOWER SETS CATALOGUE 2023







SHOWER SETS CATALOGUE 2023




SHOWER SETS



SHOWER SPOT SETS CATALOGUE 2023





SHOWER HANDLE HOLDERS CATALOGUE 2023

SHOWER HANDLE HOLDI	ERS				CATALOGUE 2023
P	42 31 69	Description Single-point shower handle holder • with adjustment of spray angle setting	Chrome	Index U2170B	
		Articulated brass shower handle	chrome	U33	
Si P		Single-point shower handle holder • with adjustment of spray angle setting	chrome	U05	
		Single-point shower handle holder • with adjustment of spray angle setting	chrome	U03	
	70 70 80 80 14	Single-point shower handle holder • with adjustment of spray angle setting	chrome	U2106	
		Single-point shower handle	chrome	U02	

SHOWER HANDLE HOLDERS





SHOWER HANDLES CATALOGUE 2023






SHOWER HANDLES CATALOGUE 2023






SHOWER HANDLES CATALOGUE 2023




SHOWER HEADS




RAIN SHOWER HEADS CATALOGUE 2023






RAIN SHOWER HEADS CATALOGUE 2023



SHOWER ARMS







Angle connection for shower hose
• G1/2 connection

Description

Colour chrome Index PKN11



Angle connection for shower hose

• G1/2 connection

• G1/2 connection • rosette


• G1/2 connection • rosette

• G1/2 connection • rosette

PKN11BL black matt

NEW






Angle connection for shower hose

chrome

PKN12






Angle connection for shower hose

chrome

PKN13




Angle connection for shower hose

black matt

PKN13BL






Angle connection with holder for

chrome

PKN14







shower hose


shower holderG1/2 connectionrosette

ANGLE CONNECTORS FOR FLUSH-MOUNTED SYSTEMS





SPOUTS FOR BUILT-IN MIXERS CATALOGUE 2023






SHOWER HOSES CATALOGUE 2023





SHOWER HOSES CATALOGUE 2023





BATHROOMS ACCESSORIES CATALOGUE 2023

Bathrooms accessories

Accessories are often called bathroom jewels as these small elements perfectly complement the whole interior. Made of high quality brass and transparent or matt glass, and covered with a glossy chrome coating, they wonderfully decorate the interior and facilitate everyday care.

ACCESSORIES



ANTICA 140



RETRO



EMOTION



GRETA



GRETA BLACK



SMILE 151



MEPHISTO 153



GRACE 156



AUDREY 159



METALIA 1



METALIA SHOWER

TOLILET SEATS




TOILET SEATS - MDF




TOILET SEATS - DUROPLAST




TOILET SEATS - PRINTING




ANTICA CATALOGUE 2023






RETRO CATALOGUE 2023




EMOTION




EMOTION CATALOGUE 2023




EMOTION




GRETA CATALOGUE 2023




GRETA




GRETA BLACK CATALOGUE 2023



GRETA BLACK





SMILE CATALOGUE 2023






MEPHISTO CATALOGUE 2023







MEPHISTO CATALOGUE 2023




GRACE




GRACE CATALOGUE 2023







AUDREY CATALOGUE 2023



AUDREY



AUDREY CATALOGUE 2023



METALIA 1	Description	Colour	Index
	Standing toilet brush	chrome	6159.0
	Glass shelf with railing I length: 600 mm glassware	chrome	6153.0
R. S.	Bath handle • dimensions: 250 mm x 105 mm • diameter: 22 mm	chrome	6132.0
	Double rail towel hanger • length: 400 mm • glassware	chrome	6129.0
& S	Glass corner shelf with railing • glassware	chrome	6158.0
	Soap dispenser	chrome	6177.0

METALIA 1 CATALOGUE 2023



METALIA 1

METALIA 1			
	Description	Colour	Index
	Toilet paper holder	chrome	6138.0
	Toilet paper holder	chrome	6110.0
	Paper towel holder	chrome	6151.0
	Double rail hanger	chrome	6156.0
	Toilet paper holder	chrome	6131.0
	Glass soap dish dimensions: 120 mm x 80 mm glassware	chrome	6136.0

METALIA 1 CATALOGUE 2023

METALIA 1			CATALOGUE 2023
	Description	Colour	Index
	4-hook towel rack • dimensions: 235 mm x 40 mm	chrome	6143.0
	Toothbrush holder • dimensions: 95 mm × 60 mm	chrome	6144.0
	Single glass • glassware	chrome	6106.0
	Round towel hanger	chrome	6101.0
	Soap dish with magnet	chrome	6141.0
	Single rail hanger	chrome	6109.0

METALIA 1



METALIA SHOWER CATALOGUE 2023

METALIA SHOWER			CATALOGUE 202
	Description	Colour	Index
	Double rack • dimensions: 290 mm x 130 mm • height: 275 mm	chrome	6075.0
	• dimensions: 210 mm x 110 mm height: 260 mm	chrome	6073.0
	Double corner rack • dimensions: 170 mm × 170 mm • height: 345 mm	chrome	6078.0
	Double large corner rack dimensions: 250 mm x 250 mm x 320 mm height: 260 mm	chrome	6070.0
	Double L-shaped corner rack • dimensions: 200 mm x 110 mm • height: 260 mm	chrome	6074.0
	Double corner rack • dimensions: 170 mm × 255 mm × 330 mm • height: 260 mm	chrome	6072.0

METALIA SHOWER

METALIA SHOWER			
	Description	Colour	Index
	Small double corner rack • dimensions: 170 mm × 170 mm × 220 mm • height: 260 mm	chrome	6071.0
	Standing toilet brush	chrome	6033.0
	Corner rack • dimensions: 250 mm × 250 mm • height: 90 mm	chrome	6079.0
	Metal soap dish • for Ø18 mm shower bar • dimensions: 140 mm x 90 mm	chrome	6080.0
	Rack • dimensions: 200 mm x 110 mm • height: 90 mm	chrome	6077.0
	Large rack • dimensions: 290 mm x 130 mm	chrome	6068.0


METALIA SHOWER CATALOGUE 2023

METALIA SHOWER			CAT	ALOGUE 2023
	Description	Colour	Index	
	Corner rack • dimensions: 250 mm × 250 mm × 320 mm	chrome	6035.0	
	Corner rack • dimensions: 170 mm x 170 mm x 220 mm • height: 90 mm	chrome	6064.0	
	Small corner rack • dimensions: 170 mm x 170 mm x 220 mm	chrome	6065.0	
	Small rack • dimensions: 200 mm × 110 mm	chrome	6067.0	
	Metal soap dish • dimensions: 200 mm x 110 mm	chrome	6008.0	
J-J	Double rail hanger	chrome	6001.0	


METALIA SHOWER

METALIA SHOWER			
	Description	Colour	Index
	Metal soap dish • dimensions: 140 mm × 90 mm	chrome	6048.0
	Metal soap dish • dimensions: 110 mm x 75 mm	chrome	6049.0
TO UU	4-hook towel rack • length: 250 mm	chrome	6043.0
The Contraction of the contracti	Double rail hanger • length: 110 mm	chrome	6056.0
8	Single rail hanger	chrome	6009.0


TOILET SEATS CATALOGUE 2023




TOILET SEATS




TOILET SEATS CATALOGUE 2023



TOILET SEATS



TOILET SEATS CATALOGUE 2023



Accessories and spare parts

Today's customer is demanding, attaches great importance not only to the appearance of mixers or shower sets. Various details, which are an important part of bathroom fittings, are also becoming important. Accessories such as traps, drain plugs or spouts should therefore not only be functional, robust, but also aesthetically finished. Often placed in a visible place, they provide comfort to the user and emphasize the beauty of the whole arrangement in its smallest detail.

ACCESSORIES







SIPHONS



WASHING MACHINE SIPHONS



DRAIN VALVES



ANGLE VALVES

LINEAR DRAINS CATALOGUE 2023



Description Super Slim Pro

- · linear drain
- throughput up to 48 l/min
- · connection Ø40 mm
- · waterproofing collar
- integrated steel siphon with inspection hole
- inspection plug easy access to siphon
- · building height: 49 mm
- outflow width: 45 mm

A[mm]			
600	black	OLSP1-60-BL	
700	black	OLSP1-70-BL	
800	black	OLSP1-80-BL	

Colour

Index




Super Slim Pro

- · linear drain
- throughput up to 48 l/min
- · connection Ø40 mm
- waterproofing collar
- integrated steel siphon with inspection hole
- inspection plug easy access to siphon
- · building height: 49 mm
- outflow width: 45 mm

A[mm]		
600	stainless steel	OLSP1-60
700	stainless steel	OLSP1-70
800	stainless steel	OLSP1-80






Wall Slim

- wall drain 30 cm
- throughput up to 45 l/min
- · connection: Ø50 mm
- low installation depth: 58 mm
- integrated steel siphon with
- inspection hole
 inspection plug
- easy access to siphon
- waterproofing collar

T	



- Wall Slim
 wall drain 30 cm
- throughput up to 45 l/min
- connection: Ø50 mm
- low installation depth: 58 mm
- integrated steel siphon with inspection hole
- inspection plug
- easy access to siphon
- waterproofing collar
- polished cover

A [mm]		
300	stainless steel	OLWS1

black

OLWS1-BL



Description Linear drain installed under floor

- throughput: 54 l/min
- adjustable legs
- waterproofing collardilatations

A[mm]	B [mm]		
730	700	black	OLP1-70-BL
800	800	black	OLP1-80-BL

Colour

Index



Linear drain installed under floor tiles

- throughput: 54 l/min
 adjustable legs
 waterproofing collar
 manually polished
 dilatations

A[mm]	B [mm]		
730	700	stainless steel	OLP1-70
830	800	stainless steel	OLP1-80



Linear drain

- throughput: 54 l/minadjustable legs
- waterproofing collardilatations

A[mm]	B [mm]		
730	700	black	OL70-BL
830	800	black	OL80-BL



Linear drain

- throughput: 54 l/min
- adjustable legs
 waterproofing collar
 manually polished
 dilatations

A[mm]	B [mm]		
730	700	stainless steel	OL70
830	800	stainless steel	OL80

LINEAR DRAINS CATALOGUE 2023



· linear drain

Description

- throughput: 54 l/minadjustable legs
- waterproofing collardilatations

A [mm]	B [mm]		
730	700	black	OL1-70-BL
830	800	black	OL1-80-BL

Colour

Index



Ora

- · linear drain
- throughput: 54 l/min
- adjustable legs
 waterproofing collar
 manually polished
 dilatations

A [IIIII]			
730	700	stainless steel	OL1-70
830	800	stainless steel	OL1-80




Easy New


- · linear drain
- throughput up to 33 l/min
- connection: Ø50 mm
 siphon with access plug included
 waterproofing collar

A [mm]		
600	stainless steel	OLE1-60
700	stainless steel	OLE1-70
800	stainless steel	OLE1-80


SIPHONS



SIPHONS CATALOGUE 2023




SIPHONS



DRAIN VALVES CATALOGUE 2023





Ouad	ro dr	ain v	alve	G5/4

• for washbasins with overflow

• brass

Description

Available	
while stock	
lasts	

Index

Packaging			
box	brushed nickel	S284NC	
blister	brushed nickel	S284NC-B	

Colour





Quadro drain valve G5/4

for washbasins with overflowbrass

Packaging			
box	chrome	S284	
blister	chrome	S284-B	






Quadro drain valve G5/4

 $\cdot \ \ \text{for washbasins with overflow} \\$

• brass

black	S284-BL-B








for washbasins with overflowbrass

• packaging: box

old bronze S	285	BR
--------------	-----	----






Rotondo drain valve G5/4

for washbasins with overflowbrass






Packaging		
box	brushed nickel	S285NC
blister	brushed nickel	S285NC-B

Tall drain valve G5/4

for countertop washbasins without overflow
brass

Packaging			
box	chrome	S285-WBP	
blister	chrome	S285-WBP-B	





- Rotondo drain valve G5/4 • for washbasins with overflow
- brass


Description

966 962 862 XB
G1 1/4
G1 1/4

Packaging			
box	chrome	S285	
blister	chrome	S285-B	

Colour






Rotondo drain valve G5/4

- for washbasins with overflow
- brasspackaging: blister

black S285-BL-B

Index






Rotondo drain valve G5/4

- for washbasins without overflowbrass

4			
-	-	Z	
	r	7	



Packaging			
box	chrome	S285B	
blister	chrome	S285B-B	


Rotondo drain valve G5/4

black

S285B-BL-B

- for washbasins without overflowbrasspackaging: blister





Rotondo drain valve G5/4

gold


S285G

· for washbasins with overflow

· packaging: box

NEW






Tall drain valve G5/4

- for countertop washbasins without overflow • brass

Packaging		
box	chrome	S283-WBP
blister	chrome	S283-WBP-B

DRAIN VALVES CATALOGUE 2023





Description Drain valve G5/4


- for washbasins with overflow
- brass

Packaging			
box	chrome	S283	
blister	chrome	S283-B	

Colour

Index






Drain valve G5/4

- for washbasins with overflowbrass

Packaging			
box	brushed nickel	S283NC	
blister	brushed nickel	S283NC-B	






Drain valve G5/4

- for washbasins with overflow
- brass
- packaging: blister

black S283-BL-B








- for washbasins with overflowbrass
- packaging: box

gold S283G

NEW






Universal closed drain valve G5/4

- without overflow
- brass

	1		ļ
9		_	



Packaging		
box	chrome	S283B
blister	chrome	S283B-B


Drain valve G5/4

- black ceramic plugfor washbasins with overflow
- made of durable polypropylene


Packaging			
box	black	S288PPCB	
blister	black	S288PPCB-B	



DRAIN VALVES CATALOGUE 2023








Description

Angle valve with ceramic head and rosette

- ceramic head
- no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar)
- max. working temperature: 100°C
- finish: black matt

NEW

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	74,5	1/2"x3/8"	Z293-BL
G1/2	G1/2	74,5	1/2"×1/2"	Z294-BL




Angle valve with ceramic head and rosette

• ceramic head

- no contact of flowing water with paint finish
 the valve body doesn't scratch the rosette during installation
 nominal pressure: 1,0 MPa (10 bar)
 max. working temperature: 100°C
 finish: gold, PVD coating

Available in Q1 2023



A	В	C [mm]	connection dimensions	Index	
G1/2	G3/8	75	1/2"x3/8"	Z293-G	
G1/2	G1/2	75	1/2"×1/2"	Z294-G	


Angle valve with ceramic head and rosette

· ceramic head

- no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100°C finish: black matt

N	E	٧	ı

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75	1/2"x3/8"	Z295-BL
G1/2	G1/2	75	1/2"×1/2"	Z296-BL



Angle valve with ceramic head and rosette

• ceramic head

- no contact of flowing water with paint finish
- nominal pressure: 1,0 MPa (10 bar)
- max. working temperature: 100°C
- finish: gold, PVD coating

м		**	7
N	13	w	

Available in Q1 2023

Α	В	C [mm]	connection dimensions	Indeks	
G1/2	G3/8	75	1/2"x3/8"	Z295-G	
G1/2	G1/2	75	1/2*x1/2*	Z296-G	

ANGLE VALVES CATALOGUE 2023





Description

Ball valve with rosette and metal knob

- nominal pressure: 1.0 MPa (10 bar) max. working temperature: 100 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75,2	1/2"x3/8"	Z1238K
G1/2	G1/2	75,2	1/2"×1/2"	Z1212K
G1/2	G3/4	75,2	1/2"×3/4"	Z1234K






Ball valve with filter with rosette and metal knob

- nominal pressure: 1,0 MPa (10 bar)max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	63	1/2"x3/8"	Z1238KF
G1/2	G1/2	63	1/2"×1/2"	Z1212KF
G1/2	G3/4	63	1/2"x3/4"	Z1234KF





Mushroom valve with rosette and metal knob

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	78,5	1/2"x3/8"	Z1238G
G1/2	G1/2	78,5	1/2"×1/2"	Z1212G
G1/2	G3/4	78,5	1/2"x3/4"	Z1234G






Ball valve with filter and aluminium handle

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G1/2	61	1/2"×1/2"	EZ1212KF*
G1/2	G3/4	61	1/2'x3/4"	EZ1234KF*






Description

Mushroom valve

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	81,5	1/2"x3/8" with coupling for copper pipe Ø10 mm	Z240
G1/2	G3/8	81,5	1/2"x3/8"	Z241*
G1/2	G1/2	81,5	1/2"×1/2"	Z220
G1/2	G3/4	81,5	1/2"x3/4"	Z230





${\bf Angle\,valve\,with\,ceramic\,head}$

- nominal pressure: 1,0 MPa (10 bar)max. working temperature: 100 °C

A	В	C [mm]	connection dimensions	Index
G1/2	G3/8	98	1/2"x3/8"	Z1238C
G1/2	G1/2	98	1/2"×1/2"	Z1212C
G1/2	G3/4	98	1/2"x3/4"	Z1234C





Angle valve with ceramic head and rosette

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 90 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	74,5	1/2"x3/8"	Z293
G1/2	G1/2	74,5	1/2"x1/2"	Z294






Angle valve with ceramic head and rosette

- nominal pressure: 1,0 MPa (10 bar) max. working temperature: 90 °C

Α	В	C [mm]	connection dimensions	Index
G1/2	G3/8	75,3	1/2"x3/8"	Z295
G1/2	G1/2	75,3	1/2"×1/2"	Z296

ANGLE VALVES CATALOGUE 2023





Description

3-way poppet valve

 $\boldsymbol{\cdot}$ for connecting a washing machine or dishwasher with existing orner valve

1/2 FT connection for flat seal


nominal pressure: 1.0 MPa (10 bar)

maximum working temperature: 100°C



		connection dimensions	Index
G1/2	G3/4	1/2"×3/4"	CF3019A





Washing machine connection valve

Z250

- with 3/4 extension
 nominal pressure: 1.0 MPa (10 bar)
 maximum working temperature: 100°C





Standing kitchen mixers

The trendy, modern design of the mixer, combined with functional amenities to ensure comfort during everyday use, a wide range of designs and styles allows you to choose the right model for every kitchen. Ferro's offer also includes retro style mixers designed for classically decorated interiors.

CHROME F-MASTER **LIBRETTO LUGIO MAESTRO RAPSODY** 188 189 188 ALGEO **ALGEO SQUARE STILLO ZUMBA SLIM 2F** ZUMBA II ZUMBA SPOUTS **CLASSIC MIXERS RETRO RETRO NEW** STANDARD ANTICA **BLACK BLACK-CHROME** -NEW **LUGIO BLACK RATIO BLACK ZICCO BLACK ZUMBA NERO** ADORE BLACK/CHROME GRANIT GRAPHITE — **GRANIT SANDY OLD BRONZE GOLD** NEW

FREYA

FREYA

ANTICA

FIESTA





List of functions

Ferro kitchen mixers are equipped with practical solutions that provide plenty of space for free use of the mixer, guarantee comfortable washing up and even filling of dishes placed outside the sink with water. When you choose Ferro kitchen mixers, you choose a great deal of comfort during your daily kitchen work.

KITCHEN FITTINGS



















FILLING	33		\smile						
Page number	Series name	Cold Start	rotational spout	pull-out spout	flexible spout	foldable spout	spray/jet	two spouts	pull-out handle
188	Camira		•						
188	Camiro		•						
188	Carmen		•						
188	F-Master		•	•			•	•	
188	Libretto		•	•			•		
188	Lugio		•						
189	Maestro	•	•	•					
189	Rapsody	•	•						
189	Ratio		•						
189	Sonata	•	•	•					
190	Toledo		•			•			
190	Adore		•						
190	Zicco		•						
191	Tiga Verdeline		•						
191	Algeo Square		•						
192	Fiesta		•						
192	Algeo		•				•		•
192	Vasto		•				•		•
193	Stillo		•						
193	Smile		•						
193	Ferro One		•						
194	Savio		•						
194	Isso		•						
194	Basic		•						
194	Retro		•						
195	Retro New		•						
195	Antica		•						
195	Standard		•						
195	Metalia 55		•						
195	Freya		•				•		•
197	Zumba Slim 2 F		•		•		•		
198	Zumba II		•		•		•		
199	Zumba		•		•				
201	Zumba Nero		•		•				
201	Zumba Steel		•		•				


Colour combinations


The elegant appearance of the mixer emphasizes both its attractive design and impressive surfaces. The colour scheme of the product can enliven or brighten up the kitchen arrangement, or blend in perfectly with the interior design.

KITCHE									
Page number	Series name	chrome	steel	black-chrome	black	white-chrome	granite	old bronze	gold
188	Camira		•						
188	Camiro		•						
188	Carmen	•							
188	F-Master	•							
188	Libretto	•							
188	Lugio	•			•				
189	Maestro	•							
189	Rapsody	•							
189	Ratio	•			•				
189	Sonata	•							
190	Toledo	•							
190	Adore			•		•			
190	Zicco	•			•				
191	Tiga Verdeline	•							
191	Algeo Square	•							
192	Fiesta	•							•
192	Algeo	•							
192	Vasto	•							
193	Stillo	•							
193	Smile	•							
193	Ferro One	•							
194	Savio	•							
194	Isso	•							
194	Basic	•							
194	Retro	•							
195	Retro New	•							
195	Antica							•	
195	Standard	•							
195	Metalia 55	•							
195	Freya						•		
197	Zumba Slim 2 F	•							
198	Zumba II	•							
199	Zumba	•							
201	Zumba Nero				•				
201	Zumba Inox		•						











STANDING KITCHEN MIXERS
















STANDING KITCHEN MIX		Description	Colour	Index
	-230 -300 -300 -300 -300 -300 -300 -300 -300 -300 -300 -300	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	white	BZA42W
	230 180 180 180 180 180 180 180 18	Zumba II standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 18 cm to 38 cm spout height from 29 cm to 44 cm M24x1 flow regulator flexible connector G3/8 – M10x1	beige	BZA42P
	-230 -300 -300 -300 -300 -300 -300 -300 -300 -300 -300 -300	Zumba II standing sink mixer with flexible spout • 2 jet functions • ceramic cartridge • single-hole assembly • flexible spout • possibility to freely shape the spout • extension of spout from 18 cm to 38 cm • spout height from 29 cm to 44 cm • M24x1 flow regulator • flexible connector G3/8 – M10x1	mint	BZA42M
	2230 047 150 050 050 050 050 050 050 050 050 050	Zumba II standing sink mixer with flexible spout 2 jet functions ceramic cartridge single-hole assembly flexible spout possibility to freely shape the spout extension of spout from 18 cm to 38 cm spout height from 29 cm to 44 cm M24x1 flow regulator flexible connector G3/8 – M10x1	red	BZA42R
	-200 -350 -350 -350 -350 -350 -350 -350 -3	Zumba standing sink mixer with flexible spout ceramic cartridge single hole assembly flexible spout possibility to freely shape the spout M22x1 flow regulator flexible connections G3/8 – M10x1	black	BZA4B
	-200 -350 -350 -350 -350 -350 -350 -350 -3	Zumba standing sink mixer with flexible spout ceramic cartridge single hole assembly flexible spout possibility to freely shape the spout M22x1 flow regulator flexible connections G3/8 – M10x1	yellow	BZA4C






LOW PRESURE MIXERS CATALOGUE 2023





KITCHEN MIXER SPOUTS CATALOGUE 2023



Wall-mounted mixer taps

The collection of standing kitchen mixer taps is complemented by a large group of wall-mounted kitchen models. This solution is also appreciated by a large group of admirers. The possibility of selecting a product with a specific length of spout rotation is their main advantage.

CHROME



ALGEO 206



VASTO 206



SMILE 206



FERRO ONE 206



ISSO 207



BASIC 207

CLASSIC MIXERS



RETRO 207



RETRO NEW 207



ANTICA




STANDARD 208


OLD BRONZE




ANTICA

WALL-MOUNTED MIXER TAPS CATALOGUE 2023







Sinks

The collection includes granite and stainless steel sinks in various sizes and shapes, designed for individual users and for catering establishments. Granite sinks with a surface resembling the structure of stone are an interesting proposition for originally furnished interiors. Models made of stainless steel AISI 304 are distinguished by timeless design and fit into any arrangement. FERRO sinks are characteristic for their exceptional durability and resistance to external factors.

SINKS —

UTILITY SINKS ———

GRANITE SINK SETS —



GRANITE SINKS

212



UTILITY SINKS


217




GRANITE SINKS WITH MIXER WITH FLEXIBLE SPOUT




GRANITE SINKS



GRANITE SINKS CATALOGUE 2023




GRANITE SINKS



GRANITE SINKS CATALOGUE 2023





Single bowl sink 58x48 cm

graphite shine

Colour

DRGM1/48/58HA

Index

siphon included


recessed

Description

• with overflow

DRGM1/48/58GA gray








Single bowl sink 58x48 cm

- siphon included
- recessed • with overflow








 ${\bf Single\ bowl\ sink}$

Ø51 cm

· siphon included

- recessed
- with overflow







 ${\bf Single\ bowl\ sink}$ Ø51 cm


- siphon included
- recessed • with overflow



DRGM1/51BA graphite

DRGM1/51SA







Single bowl sink Ø51 cm


- siphon included
- recessed
- with overflow

graphite shine

sandy

DRGM1/51HA








Single bowl sink Ø51 cm

- siphon included
- recessed
- with overflow

gray DRGM1/51GA



UTILITY SINKS CATALOGUE 2023







Specialist fittings

Created for public facilities and the special needs of people using this type of mixer taps and showers. The offer includes specialized mixer taps, showers and accessories that meet the highest standards of hygiene, are safe and comfortable **to use,** and are characteristic for their durability and resistance to various damages. Mixer taps and showers equipped with innovative components ensure maximum saving of water and energy used to heat it.

MEDICO



TIGA MEDICO VERDELINE



ALGEO SQUARE MEDICO



FIESTA MEDICO

221





ALGEO MEDICO

222



VASTO MEDICO

223

TOUCHLESS FITTINGS - TIME DELAY MIXERS AND VALVES -



TOUCHLESS MIXERS, VALVES AND DISPENSER



WASHBASIN MIXERS WITH TIME FLOW CONTROL



SHOWER AND URINAL VALVES WITH TIME FLOW CONTROL

LEED/BREEAM MIXERS



LEED/BREEAM



LEED/BREEAM SHOWERS

ACCESSORIES -




GRACE HOTEL




METALIA HELP

MEDICAL MIXERS CATALOGUE 2023







MEDICAL MIXERS CATALOGUE 2023







TOUCHLESS FITTINGS CATALOGUE 2023





TOUCHLESS FITTINGS CATALOGUE 2023





Description **Zephyr Sensor** Colour

Index

chrome

BBB201

touchless built-in urinal • power supply: 9V battery

· water inlet connection: 2 x 1/2" FT (inlet and outlet)

· max. working pressure: 0.5 bar - 8.0 bar (7-116 PSI)

• automatic flushing: 1 x 24 h

· sensor range factory settings: 600 mm


• flushing time factory settings: 6 s

• flow rate factory settings: ~1.0 l/cycle (for dynamic pressure 1 bar)

• flushing time: adjustable from 3 - 20 s

· settings control: RC01 remote control





Zephyr Sensor touchless urinal valve

power supply: 9V batterywater inlet connection: 2 x 1/2" MT

· max. working pressure: 1.0 bar - 8.0 bar (14.5-116 PSI)

 automatic flushing: 1 x 24 h
 sensor range factory settings: 600 mm


sensor range: adjustable from 80 - 300 mm
 flushing time factory settings: 6 s

• flow rate factory settings: ~1.0 l/cycle (for dynamic pressure 1 bar)

• flushing time: adjustable from 3 - 20 s settings control: RC01 remote control chrome

BBB211





Kona Sensor touch built in shower mixer

• power supply: 9V battery • water inlet connection: $2 \times 1/2$ MT

• max. working pressure: 0.5 bar - 8.0 bar (7-116 PSI)

• flow time factory setting: 120 s

• flow time: adjustable from 5 – 2600 s

• permissible working temperature: 70°C

chrome **BBB301**



Mixer/touchless	valve control unit

Colour white


Index RC01

Settings control:

Description

- detection rangeswitch-on delay (applies to urinal valves)
- switch-off delay
 long-lasting water flow protection
 lockout time before next use
- flushing time (for urinal valves)
 automatic purge flushing
 temporary shutdown
 return to factory settings






white

RC02

- setting soap dose volume
 return to factory settings
 temporary shutdown
 filling the system after refilling the tank








1/2" thermostatic mixer for touchless mixers

- max. water temperature: 90°C
- · max. working pressure: 0.5 bar - 10.0 bar (7 - 145 PSI)
- water inlet connection: $3 \times 1/2$ MT
- temperature control range: 30 70°C
- check valves: 2 pcs (on inlets)
 max. flow at Δp 1,5 bar: 25 l/min
- \cdot K_{VS}: 1.2 m³/h
- \cdot stability of mixed temperature: 3K
- at 15K hot water temperature change • burn protection: flow cut-off function in the absence of cold water
- additional security features: body with anti-scaling coating









Presstige II
automatic shut-off washbasin mixer
with flow and temperature control

Description

• flow time factory setting: ~15 s

(for dynamic pressure 3 bar)
• outflow time: adjustable from 10 - 20 s

• (for dynamic pressure 3 bar)

 flow rate: ~7 l/min (for dynamic pressure 3 bar)

· max. water temperature: 90°C


• recommended hot water temperature: < 65°C

• recommended dynamic pressure: 0.1 - 0.5 MPa (1 - 5 bar)

 max. static pressure: 1 MPa (10 bar / 145 PSI)

• flexible connections: 3/8" MT (2 pcs)







Presstige automatic shut-off washbasin mixer with cold or mixed water flow control

• flow time factory setting: ~15 s (for dynamic pressure 3 bar)

• outflow time: adjustable from 10 - 20 s (for dynamic pressure 3 bar)

(for dynamic pressure 3 bar)
• flow rate: ~7 l/min (for dynamic pressure 3 bar)

• max. water temperature: 90°C

• recommended water temperature: < 65°C

• recommended dynamic pressure: 0.1 - 0.5 MPa (1 - 5 bar)

 max. static pressure: 1 MPa (10 bar / 145 PSI)

• water inlet connection: $1 \times 1/2$ MT

 for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer



Colour


chrome

Index

Z201R







Presstige Pro automatic shut-off washbasin mixer with flow and temperature control

• flow time factory setting: 15 s.

• outflow time: adjustable from 10 - 20 s

• flow at dynamic pressure of 0.3 MPa (3 bar): 6 L/min. (mixed water)

· max. water temperature: 90°C

• recommended water temperature: 65°C


 recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa

• max. static pressure: 1 MPa (10 bar)

 \bullet starting force (button push): up to 65 N

• water inlet connection 2 x G3/8 FT (flexible connections)

chrome Z501R



Description Colour Index

chrome

Z501


Presstige Pro automatic shut-off washbasin mixer with water flow control


• flow time factory setting: 15 s.

- outflow time: adjustable from 10 20 s · min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- · max. water temperature: 90°C
- · recommended water temperature:
- · recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa
- · max. static pressure: 1 MPa (10 bar)
- flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 15 \pm 5 s
- starting force (button push): up to 65 N
- water inlet connection 1 x G1/2 MT
- for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer

Z503 chrome








Presstige Pro built-in shower valve with time flow control

- · Anti Vandal System protection against disassembly
- · flow time factory setting: 30 s.
- · outflow time: adjustable from 25 35 s
- · min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- · max. water temperature: 90°C
- · recommended water temperature: 65°C
- recommended dynamic pressure range: 0,1 MPa ≤ P ≤ 0,5 MPa
- · max. static pressure: 1 MPa (10 bar)
- flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 30 + 5/-10 s
- starting force (button push): up to 41 N
- · water inlet connection 2 x G1/2 MT
- · for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer





Presstige Pro SQ


built-in shower valve with time flow control

- Anti Vandal System protection against disassembly
- flow time factory setting: 30 s.
- outflow time: adjustable from 25 35 s
- $\boldsymbol{\cdot}$ min. water flow at dynamic pressure of 0.3 MPa (3 bar): 11 l/min.
- max. water temperature: 90°C
- · recommended water temperature: 65°C
- recommended dynamic pressure range: 0,1 MPa $\leq \hat{P} \leq 0,5$ MPa
- max. static pressure: 1 MPa (10 bar)
- \bullet flow time at dynamic pressure 0.3 MPa (3 bar): Regulated 30 + 5/-10 s
- $\boldsymbol{\cdot}$ starting force (button push): up to 41 N
- \cdot water inlet connection 2 x G1/2 MT
- for cold or pre-mixed water; recommended mixers: MM10 - 3/8" mechanical mixer MT15B - 1/2" thermostatic mixer




chrome

Z503SQ







Description

Algeo

• ceramic cartridge

- single hole assembly
 G5/4 automatic drain plug





• M24x1 aerator • G3/8 - M10x1 flexible connections

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) → **2,7 l/min** (0,71 gpm US)

3,00 bar (43 psi) → **2,7 l/min** (0,72 gpm US)

4,14 bar (60 psi) → **3,0 l/min** (0,79 gpm US)







standing washbasin mixer

· ceramic cartridge

- single hole assembly
- G5/4 automatic drain plug
- M24x1 flow regulator
- G3/8 M10x1 flexible connections



chrome

Colour

chrome

Index

BAG2-LB

BAG2-LA

BFI2-LB

Maximal flow rate for dynamic pressure


Stream: spray

1,50 bar (21 psi) → **1,1 l/min** (0,28 gpm US)

3,00 bar (43 psi) → **1,2 l/min** (0,30 gpm US)

4,14 bar (60 psi) → **1,3 l/min** (0,33 gpm US)







Fiesta standing washbasin mixer

ceramic cartridge

- · single hole assembly
- G5/4 click-clack drain plug aerator M24x1

- G3/8 M10x1 flexible connections





Stream: laminar - aerated


1,50 bar (21 psi) → **2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,69 gpm US)

4,14 bar (60 psi) → **2,9 l/min** (0,77 gpm US)

LEED/BREEAM MIXERS CATALOGUE 2023





standing washbasin mixer

• ceramic cartridge

Description

single hole assembly
G5/4 click-clack drain plug
aerator M24x1
G3/8 - M10x1 flexible connections

Colour

chrome

chrome

Index

BZI2-LB

BSV2-LB

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) **> 2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,69 gpm US)

4,14 bar (60 psi) → **2,8 l/min** (0,75 gpm US)







Savio standing washbasin mixer

· ceramic cartridge

- single hole assembly
- G5/4 automatic drain plug
- aerator M24x1
- G3/8 M10x1 flexible connections






Stream: laminar - aerated

1,50 bar (21 psi) → **2,6 l/min** (0,69 gpm US)

3,00 bar (43 psi) → **2,6 l/min** (0,68 gpm US)

4,14 bar (60 psi) → **2,8 l/min** (0,74 gpm US)





Vasto standing washbasin mixer

- ceramic cartridge
- · single hole assembly
- G5/4 automatic drain plug aerator M24x1
- G3/8 M10x1 flexible connections

chrome **BVA2-LB**

Maximal flow rate for dynamic pressure


Stream: laminar - aerated

1,50 bar (21 psi) → **2,8 l/min** (0,74 gpm US)

3,00 bar (43 psi) → **2,8 l/min** (0,74 gpm US)

4,14 bar (60 psi) → **3,0 l/min** (0,80 gpm US)







Ferro One standing washbasin mixer

Description

ceramic cartridge
single hole assembly
G5/4 click-clack drain plug
aerator M24x1
G3/8 - M10x1 flexible connections

	CI	П	O


Colour

Index

Maximal flow rate for dynamic pressure				
Stream: laminar - aerated	BFO2-LB			
1,50 bar (21 psi) → 2,6 l/min (0,69 gpm US)				
3,00 bar (43 psi) → 2,7 l/min (0,72 gpm US)				
4 14 har (60 nsi) -> 3 1 l/min (0.82 gnm LIS)				

chrome







Ferro One standing washbasin mixer


- ceramic cartridge
- single hole assembly
- G5/4 click-clack drain plug
- M24x1 flow regulator
- G3/8 M10x1 flexible connections

Maximal flow rate for dynamic pressure				
Stream: spray	BFO2-LA			
1,50 bar (21 psi) → 0,9 l/min (0,23 gpm US)				
3,00 bar (43 psi) → 1,0 l/min (0,27 gpm US)				
4 4 4 b a a (/ O a a i) 4 4 1 / a i a (O O O a a a a LIC)				

black

4,14 bar (60 psi) → **1,1 l/min** (0,28 gpm US)





Zumba standing sink mixer with flexible spout


- ceramic cartridgesingle hole assembly
- · flexible spout

	eu <u>- 1</u> = 35	 possibility to freely shape the spout M22x1 aerator flexible connections G3/8 – M10x1 		
-		Maximal flow rate for dynamic pressure		
H		Stream: laminar - aerated	BZA4B-LB	
		1,50 bar (21 psi) → 2,8 l/min (0,74 gpm US)		
		3,00 bar (43 psi) → 2,8 l/min (0,74 gpm US)		
		4,14 bar (60 psi) → 2,8 l/min (0,74 gpm US)		


LEED/BREEAM SHOWERS CATALOGUE 2023



LEED/BREEAM SHOWERS




GRACE HOTEL CATALOGUE 2023




GRACE HOTEL



METALIA HELP CATALOGUE 2023




METALIA HELP




* Delivery time: c.a. 21 days

METALIA HELP CATALOGUE 2023



METALIA HELP



*Delivery time: c.a. 21 days

Accessories and spare parts

We offer you a set of accessories and spare parts to prolong the life of your products for many years. Please contact our service office if you do not find the parts you need for your Ferro model on the following pages. All products in this section are prepacked with a symbol and EAN code for retail sale, unless otherwise stated.

ACCESSORIES -



MIXER SPOUTS



JET REGULATORS

SPARE PARTS -



REGULATORS



HEADS



MIXER HANDLES



ROSETTES



MOUNTING ACCESSORIES



PLUGS AND DRAINS



STRAINERS 264




CAPS AND REDUCTIONS



GASKETS, FUNNELS



MOUNTING



JET REGULATORS CATALOGUE 2023








Description **FerroSlimAir**

aerator






- 50% (~4.5 l/min) of water
- Ferro Easy Clean System
- easy limescale removal
- standard dimensions Mx24
- water jet direction adjustment









- Ferro Easy Clean System
- easy limescale removalstandard dimensions Mx24
- brass

Packaging

	blister (2 pcs)	chrome	PCH4VL	
	blister (1 pc)	chrome	PCH41VL	
	FerroFcoSave	chrome	PCH3VI	





water flow limiter

- $\boldsymbol{\cdot}$ installed for shower or bath mixers 1/2×1/2
- \bullet limits water flow to 50%
- standard spray hose connections
- brass
- packaging: 1 pc in a blister





FerroAirMix





· with key for aerators and ceramic cartridges

chrome

Colour

PCH4-K-W

PCH5VL-K-W









2-function long jet regulator

- M22 female thread or M24 male thread
- for round spouts, with male thread (dual handle faucets)

black-chrome

black-chrome

P1314-W



2-function long jet regulator

- M22 female thread
- $\boldsymbol{\cdot}$ for round spouts, with male thread (dual handle faucets)


P13

JETREGULATORS	Description	Colour	Index
	2-function long jet regulator • M22 female thread or M24 male thread • for round spouts, with male thread (dual handle mixers)	black-chrome	P1014-W
	2-function long jet regulator • 2-funtion short jet regulator	white-chrome	P24
	M22 female thread for round spouts, with male thread (dual handle mixers)		
	2-function long jet regulator • M22 female thread • for round spouts, with male thread (dual handle mixers)	black-chrome	P10
00	Jet regulator connecting ring M22x1		P14
O	Mixer jet regulator	chrome	
	Dimensions Packaging M28x1 Packaging loose (with M28x1 Packaging bag Packaging bag	hout EAN code)	Index PCH1 PCH1W
	M24x1 Packaging loose (with M24x1 Packaging bag	hout EAN code)	PCH2 PCH2W
	Faucet service key • for M24 and M28 jet regulators • for head nut 35 mm and 40 mm • does not scratch the chrome surfaces		KEYM2428-W


CERAMIC HEADS AND REGULATORS		CATALOGUE 2023
	Description Co	lour Index
	Thermostatic head for thermostatic faucet	GT1
	Thermostatic head for TAM7 mixers	GT8
Control of the contro	Thermostatic head for TRM7 mixers	GT1TRM
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 40 mm - high	GW1VL
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 40 mm - low	GW2VL
	FerroClick Verdeline ceramic cartridge • for single-handle mixers • 35 mm - high	G07VL

CERAMIC HEADS AND REGULATORS			
	Description Ceramic cartridge • for single-handle mixers • 40 mm - high	Colour	Index GW1
CO THE	Ceramic cartridge • for single-handle mixers • 40 mm - low		GW2
OO) THE	Ceramic cartridge • for single-handle mixers • 35 mm - high		G07
CO TABLE	Ceramic cartridge • for single-handle mixers • 35 mm - low		G08

CERAMIC HEADS AND REGULATORS		CATALOGUE 2023
	Description Colour Ceramic head • for RETRO dual-handle mixers /20 spline /	r Index G05R
Militar	Ceramic head • for RETRO dual-handle mixers /24 spline /	G05S
	Ceramic head • for dual-handle mixers /15 spline /	G05
A CONTRACTOR OF THE PARTY OF TH	Double-handle moving faucet head • for nut /15 spline/	G02C
A Property of the Party of the	Double-handle moving faucet head • for nut /15 spline/	G02
	Head part 3/8" • for nut/16 spline/	G01



MIXER HANDLES CATALOGUE 2023



ROSETTES



Description
Rosette with eccentric

Colour chrome

Index

Packaging	Index	
packaging loose (without EAN code)	R10	
packaging bag	R10W	

3/4 conical rosette

chrome

3/4" conical rosette

chrome

Dimensions	Packaging	Index
wide conical rosette 80x22,5 mm	packaging bag	R23W
high conical rosette 70x25,5 mm	packaging bag	R24W



chrome

Packaging	Index
packaging loose (without EAN code)	R07
packaging bag	R07W

1/2 conical rosette

chrome

Packaging	Index
packaging loose (without EAN code)	R03
packaging bag	R03W

1/2 flat rosette

Packaging	Index
packaging loose (without EAN code)	R04
packaging bag	R04W










ROSETTES			CATALOGUE 2	023
	Description	Colour	Index	
	3/4" square rosette for mixers		R22W	
	3/4" cylindrical rosette for mixers		R21W	
	Rosette for washbasin • 25 mm	white	RUB25	
	Rosette for washbasin	chrome		
	Dimensions		Index	
	19 mm		RUC19	
	25 mm		RUC25	
	Rossette • 40 mm	white	R40	
	Rossette • 50 mm	white	R50	

ROSETTES







	Description Colour	Index
4. 4	Mixer mounting kit	
* *		
~		
<i>3</i> 311		
	Packaging loose (without FAN code)	Index ZM002
	packaging loose (without EAN code) packaging bag	ZM002 ZM002W
	packaging pag	2.4002.11
4	Mixer mounting kit	
33 1		
a a 1		
	Dealersins	Index
	Packaging packaging loose (without EAN code)	Index ZM003
	packaging loose (Without EAR code)	ZM003W
	Pres 10 0 110	
1.1	Mixer mounting kit	
11		
316		
3311		
3311		
	Packaging	Index
	Packaging packaging loose (without EAN code)	Index ZM004
	packaging loose (without EAN code)	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code)	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
331 331	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code) packaging bag	ZM004
	packaging loose (without EAN code) packaging bag Mixer mounting kit	ZM004 ZM004W
	packaging loose (without EAN code) packaging bag	ZM004



G3/4xG1/2 mixer reduction	chrome	R05	



MIXERS MOUNTING ACCESSORIES



PLUGS AND DRAINS CATALOGUE 2023

PLUGS AND DRAINS			CATALOGUE 2023
	Description	Colour	Index
	Washbasin drain rubber plug	white	KORSU42
2	Washbasin drain rubber plug	white	KORSU42N
	Sink drain plug	white	KORSZ51
	Sink / shower rubber plug	white	KORZ45N
	Sink plug with chain	white	KORL40
	Sink plug with chain	white	KORZL52



STRAINERS CATALOGUE 2023

STRAINERS			CA	ALOGUE 2023
	Description	Colour	Index	
	Washbasin metal strainer	chrome	SMU1	
	Sink metal strainer	chrome	SMZ1	
	Strainer for cleaning the sink	chrome	SCCZ	
	Stainless screw for sink drain		SNZS	
	Dimensions Stainless sink screw M6x30 Stainless washbasin screw M6x60		Index SNZ30 SNU60	


CAPS AND REDUCTIONS			
	Description	Colour	Index
	Rubber plug	black	ZG50
	• 50 mm	DIACK	2030
	- 50111111		
	Rubber plug	black	ZG32
	• 32 mm	Didek	2032
	52111111		
		1.9	
	Reduction gasket	white	
	Dimensions	_	Index
	32/25 mm		USRD3225
	40/25 mm		USRD4025
	40/32 mm		USRD4032
	50/25 mm		USRD5025
	50/32 mm		USRD5032
	50/40 mm		USRD5040
	50/45 mm		USRD5045
	56/32 mm		USRD5632
	56/45 mm		USRD5645
	60/32 mm		USRD6032
	60/45 mm		USRD6045
	Deduction realist	la la al	
	Reduction gasket	black	
	Dimensions		Index
	50/32 mm 50/40 mm		USRD5032C USRD5040C
	50/40 111111		0311030400
	Reducing connector		ZR110
	• 110×100		
	TIOXIOO		

FUNNELS CATALOGUE 2023

Description	Colour	Index
Lower cistern funnel	white	LSD1
Upper cistern funnel	white	LSG1

Description	Colour	Index
G1/2 gasket for shower hoses with mesh filter		
Packaging		Index
packaging loose (without EAN code)		CF250
packaging bag		CF250W
Gasket G3/4 for flush-mounted mixers with mesh filter		
Packaging		Index
packaging loose (without EAN code) packaging bag		CF260 CF260W
packaging dag		Cr200W
Mixer headpart O-ring	black	
Dimensions Packaging	_	Index
1/2" packaging bag	5 pcs	ORGB12
3/8" packaging bag	5 pcs	ORGB38
Mixer headpart O-ring 6,3 x 2,4 · packed by 5 pieces	black	ORGW6324
Spout O-ring • packed by 5 pieces	black	
Dimensions		Index
1/2" 3/4"		ORGW12 ORGW34
S) =		0.000
Shower hose rubber gasket without filter • 1/2" • packed by 5 pieces		CF240G

GASKETS CATALOGUE 2023



Description Color	ır Index
Set of gaskest for mixer diverter	USZP
Hose fiber gasket without filter • packed by 5 pieces Dimensions	Index
1/2"	CF210F CF220F
5, 5	C. 2201
Hose rubber gasket without filter • 3/8" • packed by 5 pieces	CF230G
Fiber gasket for headpart • packed by 5 pieces	
Dimensions 3/8*	Index USGF38
1/2* 3/4*	USGF34
Silicone gasket for headpart • packed by 5 pieces	
Dimensions	Index USGG38S
1/2*	USGG12S
3/4	USGG34S
Flat fiber gasket • 1/2"	USP12
	Hose fiber gasket without filter • packed by 5 pieces Dimensions 1/2' 3/8' Hose rubber gasket without filter • 3/8' • packed by 5 pieces Fiber gasket for headpart • packed by 5 pieces Dimensions 3/8' 1/2' 3/4' Silicone gasket for headpart • packed by 5 pieces Dimensions 3/8' 1/2' 3/4' Flat fiber gasket

GASKETS CATALOGUE 2023


GASKETS		CATALOGUE 2023
	Description Colour	Index
	Wedge gasket for washbasin siphon • 32 mm	USKS32
	• packed by 2 pieces	
	Wedge gasket for sink siphon • 40 mm	USKS40
	packed by 2 pieces	
()		
	Wedge gasket for toilet cistern	USKD
	siphon	
	32 mmpacked by 2 pieces	
()		
	Gasket for toilet elbow pipe black	USPK
	Lip sealing ring	
	• packed by 2 pieces	
	Dimonstens	Index
	Dimensions 32 mm	PUWG32
	40 mm	PUWG40
	Bottom toilet cistern seal with edge	
	Dimensions	Index
	66/36 mm 71/44 mm	USD6636 USD7144
	/ 1/44 [] [] []	
	7 1744 111111	0357144

Rubber gasket for half-siphon 1' packed by 2 pieces Rubber gasket for washbasin	USPG1
• packed by 2 pieces	
Dubbay god of fav week havin	
Dubbar darket for week basin	
Dubbay godest for weakhasin	
Dubbay god of fav week hasin	
Dubbay garket for weakhasin	
Dubbay garkat fay washbasin	
Dubbay gaskat fay washbasia	
Dubbar gaskat far washbasin	
Rubber gasket for washbasin	USPU54
half-siphon	
5/4packed by 2 pieces	
Dubbar dackat for sink half sink an	LICO744
	USPZ64
• 0/4 • packed by 2 pieces	
Sink siphon repair kit	
Dimensions	Index
1-bowl	ZNSZ1
2-bowl	ZNSZ2
Flat gasket for compact WC unit	
Dimensions	Index
60/31 mm	USPD6031
64/31 mm	USPD6431
	USPD6617
	USPD6636 USPD6817
	USPD7024
71/44 mm	USPD7144
Toilet cistern renair kit	ZNPD
Toilet cistern repair kit	ZNPD
	Sink siphon repair kit Dimensions 1-bowl 2-bowl Flat gasket for compact WC unit Dimensions 60/31 mm

GASKETS CATALOGUE 2023

Description	Colour	Index
Toilet cistern repair kit		ZNPDN
Rubber foam gasket for compact WC unit		
Dimensions		Index
10,0 mm x 7 mm		UKPG1
10,9 mm x 6 mm		UKPG2
10,9 mm × 7 mm		UKPG3
8,4 mm x 6 mm		UKPG4

MOUNTING



MOUNTING CATALOGUE 2023

	Description	Colour	Index
**	WC compact unit fixing screws L-78 mm	Colour	SMZ78

Description	Colour In	dex
Bath mixer s	witch	
Index	mixers	
Index P001AG	mixers Smile, Ascoli	_
		_
P001AG	Smile, Ascoli	
P001AG 26-SWITCH	Smile, Ascoli Padwa, Werona	
P001AG 26-SWITCH 20-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri	
P001AG 26-SWITCH 20-SWITCH 41-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri Modena	
P001AG 26-SWITCH 20-SWITCH 41-SWITCH 65-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri Modena Ancona Vasto	
P001AG 26-SWITCH 20-SWITCH 41-SWITCH 65-SWITCH BVA-SWITCH	Smile, Ascoli Padwa, Werona Cassino, Capri Modena Ancona Vasto Standard, Retro (from 2019)	

PRODUCT INDEX CATALOGUE 2023

Index	Page	Index	Page	Index	Page
	rage	AGR11	141	BAG8	52, 195
AAIOODD	124		143		
AAI02BR	134	AGR11BL		BAG11A	51
AAI03BR	134	AGR14	142	BAG11P	51
AAI05BR	134	AGR14BL	144	BAG55A	51
AAI09BR	134	AGR33	142	BAG66P	49
AAI10BR	134	AGR33BL	144	BAGM1	224
AAI13BR	134	AGR34	142	BAGM2	224
AAI14BR	135	AGR34BL	144	BAGM2AA	224
AAI33BR	135	ARE02	136	BAGM2L	224
AAI34BR	135	ARE03	136	BAGM3	224
AAI35BR	135	ARE05	136	BAGM4A	225
AC01	151, 242	ARE09	136	BAGM5	225
AC02	152	ARE10	136	BAGM7	224
AC03	152	ARE13	136	BAI2BR	74
AC04	152	ARE14	137	BAI4BR	74, 198
AC05	152	ARE33	137	BAI5BR	74, 210
AC06	152	ARE34	137	BAI6BR	74
AC07	150	ARE35	137	BAI7BR	74
AC08	150	ASM02	145	BAI11BR	74
AC09	150	ASM03	145	BAQ1	40
AC10	150	ASM05	145	BAQ1BLC	42
AC11	151	ASM06	145	BAQ2	39
AC13		ASM07	145	•	42
	151		145	BAQ2BLC	39
AC14	151	ASM09		BAQ2L	
AC15	151	ASM10	146	BAQ2LBLC	42
AC16	150	ASM13	146	BAQ3A	41
AC17	150	ASM14	146	BAQ3PA18	39
AC22	241	ASM33	146	BAQ3PA22	39
AC23	241	ASM34	146	BAQ4	41, 195
AC24	241	ASM35	146	BAQ5A	41
AC25	241	В		BAQ6	40
AC27	242	BAG1	50	BAQ6BLC	42
AC29	241	BAG1BL	53	BAQ7	40
AC30	242	BAG2	48	BAQ7BLC	42
AC31	241	BAG2A	48	BAQ7P	40
AC33	152, 242	BAG2AA	48	BAQ7P2BOX	40
AC34	151	BAG2ABL	53	ВАQ7Р3ВОХ	40
AC35	242	BAG2APO	48	BAQ7P-SET1-S	103
AD02	154	BAG2BL	53	BAQ11A	41
AD03	155	BAG2L	48	BAQ11P	41
AD04	154	BAG2-LA	236	BAQ66P	39
AD06	155	BAG2-LB	236	BAQM2	223
AD07	154	BAG2LBL	53	BAQM2L	223
AD08	153	BAG3	49	BBB101	227
AD09	153	BAG3A	51	BBB101M	227
AD10	153	BAG3PA18	48	BBB101S	227
			49		
AD11	154	BAG3PA22		BBB101SM	228
AD14	153	BAG4	51, 195	BBB111	228
AD14	153	BAG4A	52, 195	BBB112	228
AD15	154	BAG5	52, 209	BBB121S	229
AD17	153	BAG5A	51	BBB121SM	229
AD34	154	BAG5FB	52, 209	BBB122	229
AGR02	141	BAG6	49	BBB201	230
AGR02BL	143	BAG6BL	53	BBB211	230
AGR03	141	BAG7	49	BBB301	230
AGR03BL	143	BAG7BL	53	BBC2	71
AGR05	141	BAG7P	50	BBC2A	71
AGR05BL	143	BAG7P2BOX	50	BBC3	71
AGR09	141	BAG7P3BOX	50	BBC4	72, 197
AGR09BL	143	BAG7PA	50	BBC5	72, 210
AGR10	141	BAG7PA-SET1	50	BBC5A	72
AGR10BL	143	BAG7P-SET1-S	103	BBC6	71
	. 13	2	100		, ,

PRODUCT INDEX

Index	
BBC55A BBC77 BCE4LP BCQ4 BCQ4 BCR4 BDR1 BDR1 BDR1 BDR2 BDR2 BDR2 BDR2L BDR2LC BDR3PA BDR3PABLC BDR3PA BDR4BLC BDR4 BDR4BLC BDR6 BDR6 BDR7 BDR6 BDR7 BDR7 BDR7 BDR7 BDR7 BDR7 BDR7 BDR7	
BBC77 BCE4LP BCQ4 192 BCR4 192 BDR1 25 BDR1BLC 27 BDR2 BDR2L 24 BDR2LL 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25,19 BDR4BLC 27,19 BDR6 24 BDR7PBLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BR11A 25 BR11A 25 BF11 44 BF11G 46 BF12A BF12A BF12A BF12C 43 BF12L 43	
BCE4LP 205 BCQ4 192 BCR4 192 BDR1 25 BDR1BLC 27 BDR2 24 BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 25, 19 BDR4 25, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7PBLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43	
BCQ4 BCR4 192 BDR1 25 BDR1BLC 27 BDR2 24 BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 25,10 BDR4 C 27,10 BDR6 24 BDR7BLC 26 BDR7 24 BDR7PBLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11A 25 BDR11A 25 BDR11A 25 BFE41 24 BFI1C 36 BFI2 BFI2 BFI2 BFI2 BFI2 BFI2 BFI2 BFI2	
BCR4 1925 BDR1 25 BDR1BLC 27 BDR2 24 BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25, 11 BDR4BLC 27, 19 BDR6 24 BDR7BLC 26 BDR7 24 BDR7BLC 26 BDR7 24 BDR7PLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43	
BDR1 25 BDR1BLC 27 BDR2 24 BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR3PABLC 25, 19 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR1BLC 27 BDR2 24 BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25, 19 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11A 25 BDR11A 25 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR2 BDR2BLC BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25,19 BDR4BLC 27,19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7PLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A BFI2AG BFI2L 43	
BDR2BLC 26 BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25, 19 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7PLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR2L 24 BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25, 19 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2-LB 236	
BDR2LBLC 26 BDR3PA 24 BDR3PABLC 26 BDR4 25,19 BDR4BLC 27,19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR3PA 24 BDR3PABLC 26 BDR4 25,19 BDR4BLC 27,19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR3PABLC 26 BDR4 25, 19 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR4 25, 14 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR4 25, 14 BDR4BLC 27, 19 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	
BDR4BLC 27, 10 BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43 BFI2L 43	94
BDR6 24 BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43	
BDR6BLC 26 BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2-LB 236	' 1
BDR7 24 BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 236	
BDR7BLC 26 BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 43 BFI2L 43	
BDR7P 24 BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	
BDR7PBLC 26 BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2CG 46 BFI2L 43 BFI2-LB 236	
BDR11A 25 BDR11ABLC 27 BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	
BDR11ABLC 27 BFE41 192 BFI1 44 BFI2G 43 BFI2AG 46 BFI2FB 43 BFI2FB 43 BFI2CG 46 BFI2L 43 BFI2L 236	
BFE41 192 BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2-LB 236	
BFI1 44 BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	,
BFI1G 46 BFI2 43 BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	
BF12 43 BF12A 43 BF12AG 46 BF12FB 43 BF12G 46 BF12L 43 BF12L 236	
BFI2A 43 BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	
BFI2AG 46 BFI2FB 43 BFI2G 46 BFI2L 43 BFI2L 236	
BFI2FB 43 BFI2G 46 BFI2L 43 BFI2-LB 236	
BF12G 46 BF12L 43 BF12-LB 236	
BF12L 43 BF12-LB 236	
BFI2-LB 236	
)
BFI2LG 46	
BFI4 45, 19	
BFI4G 47, 19	95
BFI6 43	
BFI6G 46	
BFI7 43	
BFI7G 46	
BFI7P 44	
BFI7P2BOX 44	
BFI7P3BOX 44	
BFI11F 44	
BFIM2 223	}
BFIM2A 223	:
BFO1 66	
BFO1A 66	
BFO2 65	
BFO2A 65	
BFO2-LA 238	3
BFO2-LB 238	}
BFO3 66	
BFO3A 66	
BFO4 67, 19	97
BFO5 67, 20	
BFO5A 67	
BFO6 65	
BFO7 65	
BFO7P 65	
BFO7PA 65	

Index	Page
BFO7PA-SET1	66
BFO11AA	67
BFO33A	66
BFO55A	67
BFR4B	199
BFR4S	199
BFR8B	199
BFR8S	199
BFR41B BFR41S	198 198
BFR41S BFR42B	198
BFR42S	190
BIS2	69
BIS2A	69
BIS3	69
BIS4	70, 197
BIS4A	70, 177
BIS5	70, 209
BIS6	69
BIS11	69
BIS33A	70
BIS55A	70
BIS77	69
BLB1VL	36
BLB2VL	36
BLB6VL	36
BLB7PVL	36
BLB7VL	36
BLE4B	192
BLG4	192
BLG4BL	192
BLG4LP	205
BMS4	193
BNA4	193
BRY4	193
BSC1	29
BSC1BL	31
BSC2	28
BSC2BL	30
BSC2L BSC2LBL	28
	30
BSC3PA BSC3PABL	28 30
BSC6	28
BSC6BL	30
BSC7	28
BSC7BL	30
BSC7P	29
BSC7PA	28
BSC7PABL	30
BSC7PBL	31
BSL1	61
BSL2	61
BSL2A	61
BSL4	62, 196
BSL4A	62, 196
BSL5A	61
BSL7	61
BSL55A	61
BSM2	63
BSM2A	63
BSM3	63
BSM4	64, 196

Index	Page
BSM5	64, 209
BSM6	63
BSM11	63
BSM77	63
BST2	79
BST3	79
BST4	79, 198
BST5	80, 210
BST11	79
BST11A	79
BST77	79
BST-SWITCH-H-Q	276
BSV1	68
BSV2	68
BSV2-LB	237
BSV4	68, 197
BSV6	68
BSV7	68
BTD4FUW	193
BTD4PO	194
BTG1VL	37
BTG2AVL	37
BTG2VL	37
BTG3A BTG4VL	37
BTG5A	38, 194 38
BTG6VL	37
BTG7PVL	38
BTG7VL	37
BTGM2AVL	223
BTGM2VL	223
BTI4	193
BTI4BL	193
BTI4LP	205
BVA2	58
BVA2A	58
BVA2-LB	237
BVA3	58
BVA3A	59
BVA4	59, 196
BVA4A	59, 196
BVA5	60, 209
BVA5A	59
BVA6	58
BVA8	59, 196
BVA11	58
BVA55A	59
BVA77	58
BVAM2	225
BVAM2A BVAM3	225 225
BVAM4	225
BVAM5	225
BVA-SWITCH	276
BVI1RVL	54
BVI1RVLBL	55
BVI1VL	54
BVI1VLBL	55
BVI1VLBLG	57
BVI1VLG	56
BVI2LVL	54
BVI2LVLBL	55
BVI2LVLBLG	57

PRODUCT INDEX CATALOGUE 2023

Index	Page	Index	Page	Index	Page
BVI2LVLG	Page 56	CF0052	Page 211	G05S	Page 253
BVI2VLG	54	CF0052 CF0069	211	G055	252
BVI2VL BVI2VLBL	55	CF0069 CF0070	211	G07 G07VL	252
BVI2VLBLG	55	CF210F	270	G07VL	251
BVI2VLBLG BVI2VLG	56	CF220F	270	GU8 GT1	252
BVI2VLG BVI6VL	54	CF220F CF230G	270	GT1TRM	251
BVI6VLBL	55	CF230G CF240G	268	GTTRM GT8	251
				GW1	
BVI6VLBLG	57	CF250 CF250W	268	GW1VL	252
BVI6VLG	56		268		251
BVI7VL	54	CF260	268	GW2	252
BVI7VLBL	55	CF260W	268	GW2VL	251
BVI7VLBLG	57	CF270G	269	K	100
BVI7VLG	56	CF3019A	185	K39	180
BZA4B	202	CNK411B	248	K39TW	180
BZA4B-LB	238	CNK412B	248	KEYM2428-W	250
BZA4BLB	204	D	01/	KMU100	274
BZA4BLP	205	DRGM1/48/58BA	216	KMU120	274
BZA4BSS	204	DRGM1/48/58GA	217	KMU140	274
BZA4C	202	DRGM1/48/58HA	217	KORL40	263
BZA4G	203	DRGM1/48/58SA	216	KORSU42	263
BZA4L	204	DRGM1/51BA	217	KORSU42N	263
BZA4M	203	DRGM1/51GA	217	KORSZ51	263
BZA4P	203	DRGM1/51HA	217	KORSZ113	264
BZA4PSS	204	DRGM1/51SA	217	KORZ45N	263
BZA4R	203	DRGM2/48/78BA	214	KORZL52	263
BZA4S	203	DRGM2/48/78GA	214	L	
BZA4SSS	204	DRGM2/48/78HA	214	LSD1	267
BZA4W	203	DRGM2/48/78SA	214	LSG1	267
BZA4WSS	204	DRGM3/48/79BA	214	М	
BZA42B	201	DRGM3/48/79GA	215	MM10	232
BZA42C	201	DRGM3/48/79HA	215	MT15B	231
BZA42G	201	DRGM3/48/79SA	214	N	
BZA42M	202	DRGM48/58BA	216	N100B	112
BZA42P	202	DRGM48/58GA	216	N110	106
BZA42R	202	DRGM48/58HA	216	N110-LA	239
BZA42S	201	DRGM48/58SA	216	N120	109
BZA42W	202	DRGM48/78BA	215	N130B	108
BZA43B	199	DRGM48/78GA	215	N140B	107
BZA43C	200	DRGM48/78GA-SET1-PL	218	N150B	108
BZA43G	200	DRGM48/78HA	215	N160	106
BZA43L	201	DRGM48/78HA-SET1-PL	218	N160BR	105
BZA43M	200	DRGM48/78SA	215	N170B	109
BZA43P	200	DRGM48/78SA-SET1-PL	218	N170BL-B	105
BZA43R	201	DRK37/46G	219	N180B	107
BZA43S	200	DRK37/46W	219	N320	106
BZA43W	200	DSN01	122	N334	104
BZI1BL	34	DSN02	122	N340	108
BZI2	32	DSN03	122	N350B	107
BZI2BL	34	DSN04	122	N365G	104
BZI2-LB	237	DSN07	122	N370BL-B	105
BZI3A	33	DSN07BL	123	N375BL-B	104
BZI4	33, 194	DSN08	123	NP21	101
BZI4BL	35, 194	DSN08BL	123	NP21-BL	101
BZI6	32	E		NP22	102
BZI6BL	34	ELP20-NP71	110	NP22-BL	102
BZI7BL	34	EZ1212KF	183	NP23	99
BZI7PA	32	EZ1234KF	183	NP23-BL	99
BZI11	32	G		NP24	100
BZI11R	33	G01	253	NP24-BL	100
BZI11RBL	34	G02	253	NP25VL	93
BZI55A	33	G02C	253	NP26VL	93
BZI77	32	G05	253	NP45	98
С		G05R	253	NP46	98

PRODUCT INDEX

Index	Page	Index	Page	Index	Page
NP47	96	P06	254	R6683.11	244
NP47-BL	96	P09	254	R6690.44	246
NP48	97	P10	250	R6699.11	244
NP48-BL	97	P13	249	R6699.44	245
NP71-BAG7U	91	P14	250	R66404.44	245
NP71-TRM7U	89	P15	254	R66550.11	244
	91				
NP74-BAQ7U		P21	254	R66800.11	244
NP75SQ-TRV7U	88	P22	254	R66813.44	245
NP75SQ-TRV7U-BL	88	P23	254	R66830.11	244
NP75-TRV7U	87	P24	250	RAIL1.0	109
NP75-TRV7U-BL	87	P52	259	RC01	231
NP78-BAG13U	90	P57	255	RC02	231
NP79-BFI13U	89	P59	255	RG006	211
NP80-BAQ13U	90	P480	259	RG006W	211
NP81-BVI7UVL	86	P1014-W	250	RN12	124
NP81-BVI7UVL-BL	86	P1314-W	249	RN350	124
NP92	95	PCH1	250	RN350BL	124
NP92-BL	95	PCH1W	250	RN350K	124
NP93	94	PCH2	250	RN350KBL	124
NP94VL	92	PCH2W	250	ROS32	258
NP94VL-BL	92	PCH3VL	249	ROS32P	258
NPG01	120	PCH4-K-W	249	RUB25	257
NPG04	120, 239	PCH4VL	249	RUC19	257
NP-POL1	110	PCH5VL-K-W	249	RUC25	257
				S	237
NPT02	122	PCH41VL	249		117
NPT11	121	PKN11	125	S13	117
NPT11BL	121	PKN11BL	125	S22-B	115
NPT13	121	PKN12	125	S22BL-B	115
NPT13BL	121	PKN13	125	S29	175
NPT14	121	PKN13BL	125	S30	175
NPT14BL	121	PKN14	125	S30-BL	175
0		PKN14BL	126	S40	116
OL1-70	173	PKN15	126	S66	119
OL1-70 OL1-70-BL		PKN15BL			
	173		126	S71-B	116
OL1-80	173	PUWG32	271	S75-B	116
OL1-80-BL	173	PUWG40	271	S75BL-B	116
OL70	172	R		S100	118
OL70-BL	172	R03	256	S110	118
OL80	172	R03W	256	S110-LA	240
OL80-BL	172	R04	256	S115	117
OLE1-60	173	R04W	256	S160	116
OLE1-70	173	R05	260	S170-B	115
OLE1-80	173	R07	256	S170BL-B	115
OLP1-70	172	R07W	256	S175BL	115
					-
OLP1-70-BL	172	R10	256	S190VL-B	116
OLP1-80	172	R10W	256	S280	174
OLP1-80-BL	172	R21W	257	S280-BL	174
OLSP1-60	171	R22W	257	S280G	174
OLSP1-60-BL	171	R23W	256	S280NC	174
OLSP1-70	171	R24W	256	S281	176
OLSP1-70-BL	171	R40	257	S281NC	176
OLSP1-80	171	R50	257	S282	174
OLSP1-80-BL	171	R6630.11	243	S282-BL	175
OLWS1	171	R6640.11	243	S282G	175
OLWS1-BL	171	R6650.11	243	S282NC	174
ORGB12	268	R6650.44	246	S283	179
ORGB38	268	R6655.11	244	S283-B	179
ORGW12	268	R6660.11	243	S283B	179
ORGW34	268	R6660.44	245	S283B-B	179
ORGW6324	268	R6670.11	243	S283-BL-B	179
OSL1W	261	R6676.44	245	S283G	179
P	201	R6680.11	243	S283NC	179
P001AG	276	R6681.44	245	S283NC-B	179
1 30170	270	1,0001.44	443	3203NC-B	1/7

PRODUCT INDEX CATALOGUE 2023

Index	Page	Index	Page	Index	Page
		U300-LB			
S283-WBP	178		239	W40	128
S283-WBP-B	178	U365G	111	W41	128
S284	177	U500	111	W42	128
S284-B	177	U2106	113	W43	128
S284-BL-B	177	U2170B	113	W44	129
S284NC	177	UKPG1	273	W45	129
S284NC-B	177	UKPG2	273	W47	129
S285	178	UKPG3	273	W53	128
S285-B	178	UKPG4	273	W54	128
S285B	178	USD6636	271	W72	129
S285B-B	178	USD7144	271	W98B	248
S285B-BL-B	178	USG05	269	W100B-B	206
S285-BL-B	178	USGF12	270	W100C-B	206
S285BR	177	USGF34	270	W100G-B	207
S285G	177	USGF38		W100G-B W100S-B	207
			270		
S285NC	177	USGG12S	270	W100W-B	207
S285NC-B	177	USGG34S	270	W101B-B	206
S285-WBP	177	USGG38S	270	W101P-B	206
S285-WBP-B	177	USKD	271	W101S-B	206
S286	175	USKS32	271	W101W-B	206
S287PP-B	180	USKS40	271	W115C/2	248
S288PPC	180	USP12	270	W115S/2	248
S288PPC-B	180	USPD6031	272	W150F/4	248
S288PPCB	179	USPD6431	272	W160C/2	248
S288PPCB-B	179	USPD6617	272	W160C/4	248
S289BL-B	180	USPD6636	272	W160S/2	248
S290BL-B	180	USPD6817	272	W160S/4	248
S300	117	USPD7024	272	W160Z/2	248
S305	117	USPD7144	272	W180C/2	248
S310	117	USPG1	272	W180S/2	248
S318	119	USPK	271	W200C/4	248
S330	118	USPU54	272	W200F/4	248
S330BL-B	118	USPZ64	272	W200S/4	248
S340	118	USRD3225	266	W250C/2	248
S340BL-B	118	USRD4025	266	W250C/4	248
S350-B	115	USRD4032	266	W250F/4	248
S500	117	USRD5025	266	W250S/2	248
SCCZ	265	USRD5032	266	W250S/4	248
SMU1	265	USRD5032C	266	W250Z/2	248
SMZ1	265	USRD5040	266	W300C/2	248
SMZ78	275	USRD5040C	266	W300C/4	248
SNU60	265	USRD5045	266	W300S/2	248
SNZ30	265	USRD5632	266	W300S/4	248
SNZS	265	USRD5645	266	WC/BAMBUS	165
SPZ90K	264	USRD6032	266	WC/BILA	167
	204				
T	0/0	USRD6045	266	WC/BILAMDF	168
T01	262	USWP12	269	WC/BOROVICE	165
T04	262	USWP34	269	WC/BRIZA	165
T05	262	USZBAT1	269	WC/BUK	166
TAM7	73	USZBAT2	269	WC/DELFIN	169
TRM7	73	USZP	270	WC/DUB2	166
U		USZWYL12	269	WC/DUBVELVET	165
U01	114	USZWYL34	269	WC/JASAN	165
U02	113	W		WC/MEDVEDI	169
U03	113	W04	130	WC/MUSLELYRA	168
U05	113	W05	129	WC/ORECH	166
U28B	112	W06	130	WC/ORECHLYRA	166
U33	113	W07	129	WC/PROVENCE	168
U155G	111	W12	130	WC/SOFT3D	168
U170B	111	W13	130	WC/SOFTCLOSE	167
U170BL-B	112	W33	130	WC/SOFTCLOSE WC/SOFTJASAN	165
					167
U190VL-B	111	W34	130	WC/SOFTLYRA	
U300	111	W35	131	WC/SOFTMDF	167

PRODUCT INDEX

Index	Page	Index	Page	Index
WC/SOFTMUSLELY	167	Z1234K	183	6077.0
WC/SOFTNATURE	169	Z1234KF	183	6078.0
VC/SOFTORECHLY	166	Z1238C	184	6079.0
VC/SOFTSTONE1	168	Z1238G	183	6080.0
VC/SOFTSTONE2	168	Z1238K	183	6101.0
VC/STENATA	169	Z1238KF	183	6106.0
VC/UNIVERSAL	167	ZG32	266	6109.0
VC/WENGE	166	ZG50	266	6110.0
WWP01	127	ZM002	260	6129.0
WWP02				
	127	ZM002W	260	6130.0
(00	77	ZM003	260	6131.0
CD2	77	ZM003W	260	6132.0
CD3	77	ZM004	260	6133.0
KD4	77, 198	ZM004W	260	6136.0
XD5	78, 210	ZM005	260	6138.0
XD6	77	ZM005W	260	6141.0
KD7	77	ZMDB202T	274	6143.0
XD11	77	ZMDB203M	274	6144.0
(D-SWITCH	276	ZMDB203T	274	6149.0
(D-SWITCH-H-Q	276	ZMWB	274	6150.0
XR2	75	ZMWC	274	6151.0
KR3	75	ZNPD	272	6153.0
KR4	75, 197	ZNPDN	273	6156.0
XR5	76, 210	ZNSZ1	272	6157.0
XR11	75	ZNSZ2	272	6158.0
KR11A	75	ZR110	266	6159.0
XR77	75	Numeracja	200	6172.0
Z	/ 3		0/1	
	050	008001	261	6177.0
Z35	259	008001W	261	6178.0
Z37	259	008003	261	6803.0
Z39	82	008003W	261	6825.0
Z40	82	008005	261	6828.0
Z201	233	008005W	261	6833.0
Z201R	233	010001	261	6836.0
Z211	235	010001W	261	6838.0
Z220	184	018003	211	6845.0
Z230	184	20-SWITCH	276	6848.0
Z240	184	26-SWITCH	276	6853.0
Z241	184	41-SWITCH	276	6855.0
Z250	185, 259	65-SWITCH	276	6856.0
Z293	184	439.P	181	55092.0
Z293-BL	182	449.P	181	55097.0
Z293-G	182	460.0	176	65540.1
Z294	184	465.0	176	65543.4
Z294-BL	182	6001.0	163	65548.4
Z294-G	182	6008.0 6009.0	163	65556.4
Z295	184		164	65564.4
Z295-BL	182	6033.0	162	65568.4
Z295-G	182	6035.0	163	65575.4
Z296	184	6043.0	164	65577.4
Z296-BL	182	6048.0	164	65578.4
Z296-G	182	6049.0	164	65579.4
Z501	234	6056.0	164	65580.1
Z501R	233	6064.0	163	65581.1
Z 502	235	6065.0	163, 242	65582.1
Z503	234	6067.0	163	65585.4
Z503SQ	234	6068.0	162	
Z1212C	184	6070.0	161	
Z1212G	183	6071.0	162	
Z1212G Z1212K	183	6072.0		
			161	
Z1212KF	183	6073.0	161	
Z1234C	184 183	6074.0	161	
Z1234G		6075.0	161	

Do you have any questions?

Do you need technical support, product information before buying or are you looking for a spare part? Please contact us! Our advisors will provide comprehensive answers to your questions.



FERRO S.A. ul. Przemysłowa 7 32-050 Skawina Polska

T: +48 12 25 62 100 F: +48 12 27 67 606 E: export@ferro.pl

/ferro_group_official



(in) /ferro-group